

## Chapter 8      References

- Adite A, Winemiller KO 1997. Trophic ecology and ecomorphology of fish assemblages in coastal lakes of Benin, West Africa. *Ecoscience* **4**:6-23.
- Aglen A, Engas A, Huse AI, Michalsen K, Stensholt BK 1999. How vertical fish distribution may affect survey results. *ICES Journal of Marine Science* **56**:345-360.
- Agostinho AA, Zalewski M 1995. The dependence of fish community structure and dynamics on floodplain and riparian ecotone zone in the Parana River, Brazil. *Hydrobiologia* **303**:141-148.
- Alexander WJR 1985. Hydrology of low-latitude Southern Hemisphere land masses. pp 75-83 in Davies BR, Walmsley RD (eds), *Perspectives in Southern Hemisphere Limnology*. Dr W Junk, Dordrecht.
- Allan JD, Erickson DL, Fay J 1997. The influence of catchment land use on stream integrity across multiple spatial scales. *Freshwater Biology* **37**:149-161.
- Allan RJ 1985. The Australasian summer monsoon, teleconnections, and flooding in the Lake Eyre Basin. *South Australian Geographical Papers* **2**:1-47.
- Allan RJ 1988. Meteorology and hydrology. pp 31-50 in Reid J, Gillen J (eds), *The Coongie Lakes Study*. Department of Environment and Planning, Adelaide, South Australia.
- Allen GR 1989. *Freshwater Fishes of Australia*. TFH Publications, Neptune City, New Jersey.
- Allen GR, Midgley SH, Allen MJ 2002. *Field Guide to the Freshwater Fishes of Australia*. Perth, Western Australia, Western Australian Museum.
- Allouche S, Thevenet A, Gaudin P 1999. Habitat use by chub (*Leuciscus cephalus* L. 1766) in a large river, the French Upper Rhone, as determined by radiotelemetry. *Archiv fur Hydrobiologie* **145**:219-236.
- Altinok I, Grizzle JM 2001a. Effects of low salinities on *Flavobacterium columnare* infection of euryhaline and freshwater stenohaline fish. *Journal of Fish Diseases* **24**:361-367.
- Altinok I, Grizzle JM 2001b. Effects of salinity on *Yersinia ruckeri* infection of rainbow trout and brown trout. *Journal of Aquatic Animal Health* **13**:334-339.
- ANCA 1996. *A Directory of Important Wetlands in Australia*. Second Edition. Australian Nature Conservation Agency, Canberra.
- Anderson AA, Hubbs C, Winemiller KO, Edwards RJ 1995. Texas freshwater fish assemblages following three decades of environmental change. *Southwestern Naturalist* **40**:314-321.
- Angeler DG, Alvarez-Cobelas M, Rojo C, Sánchez-Carrillo S 2000. The significance of water inputs to plankton biomass and trophic relationships in a semi-arid freshwater wetland (central Spain). *Journal of Plankton Research* **22**:2075-2093.
- Angermeier PL, Winston MR 1998. Local vs. regional influences on local diversity in stream fish communities of Virginia. *Ecology* **79**:911-927.
- ANZECC 2000. *Core Environmental Indicators for Reporting on the State of the Environment*, Australian and New Zealand Environment and Conservation Council, State of the Environment Reporting Task Force. Environment Australia, Canberra.
- Arumugam PT, Geddes MC 1996. Effects of golden perch (*Macquaria ambigua* (Richardson)) larvae, fry and fingerlings on zooplankton communities in larval-rearing ponds - an enclosure study. *Marine & Freshwater Research* **47**:837-844.
- Australian Bureau of Meteorology 2001. *Climatic Atlas of Australia: Evapotranspiration*. Australian Bureau of Meteorology publication.
- Badman FJ 1979. Birds of the southern and western Lake Eyre Drainage. *South Australian Ornithologist* **28**:29-81.
- Badman FJ 1987a. Some interesting breeding records from the Lake Eyre Drainage in South Australia. *South Australian Ornithologist* **30**:79-81.

- Badman FJ 1987b. *Birds and the Boredrains of Inland South Australia*. Nature Conservation Society of South Australia, Adelaide.
- Badman FJ 1989. *The Birds of Middle and Lower Cooper Creek in South Australia*. Nature Conservation Society of South Australia, Adelaide.
- Badman FJ, May IA 1983. Waders of northern South Australia. *South Australian Ornithologist* **29**:29-39.
- Bailey KM, Macklin SA, Reed RK, Brodeur RD, Ingraham WJ, Piatt JF, Shima M, Francis RC, Anderson PJ, Royer TC, Hollowed AB, Somerton DA, Wooster WS 1995. ENSO events in the northern Gulf of Alaska, and effects on selected marine fisheries. *California Cooperative Oceanic Fisheries Investigations Reports* **36**:78-96.
- Bailey VE, Long PE 2001. *Wetland, Fish and Habitat Survey in the Lake Eyre Basin, Queensland*: Final Report. QNRM01074, Natural Resources and Mines, Brisbane.
- Baird AJ 1997. Overland flow generation and sediment mobilisation by water. pp 165-184 in Thomas DSG (ed.), *Arid Zone Geomorphology: Process, Form and Change in Drylands*. 2<sup>nd</sup> Edition, John Wiley and Sons.
- Baker PD 1991. Identification of common noxious Cyanobacteria. Part I - Nostocales. *Urban Water Research Association of Australia Research Report No. 29*.
- Baker PD 1992. Identification of common noxious Cyanobacteria. Part II - Chroococcales, Oscillatoriales. *Urban Water Research Association of Australia Research Report No. 46*.
- Baker PD, Fabbro LD 1999. A guide to the identification of common blue-green algae (Cyanoprokaryotes) in Australian freshwaters. *Cooperative Research Centre for Freshwater Ecology. Identification Guide No. 25*.
- Balcombe SR, Closs GP 2000. Variation in carp gudgeon (*Hypseleotris* spp.) catch rate in dense macrophytes. *Journal of Freshwater Ecology* **15**:389-395.
- Battaglione SC 1991. *The golden perch, Macquaria ambigua (Pisces: Percichthyidae) of Lake Keepit, NSW*. Master of Science thesis. University of New South Wales.
- Baxter CI 2003. Banded Stilt (*Cladorhynchus leucocephalus*) breeding at Lake Eyre North in year 2000. *South Australian Ornithologist* **34**:33-56.
- Baxter CI, Reid JRW, Jaensch RP 2001. First South Australian records of the Black-necked Stork *Ephippiorhynchus asiaticus* and occurrence of vagrants in south-western Queensland. *South Australian Ornithologist* **33**:164-169.
- Bayley PB, Peterson JT 2001. An approach to estimate probability of presence and richness of fish species. *Transactions of the American Fisheries Society* **130**:620-633.
- Beamish RJ 1993. Climate and exceptional fish production off the west coast of North America. *Canadian Journal of Fisheries and Aquatic Sciences* **50**:2270-2291.
- Beamish RJ, Noakes DJ, McFarlane GA, Klyashtorin L, Ivanov VV, Kurashov V 1999. The regime concept and natural trends in the production of Pacific salmon. *Canadian Journal of Fisheries and Aquatic Sciences* **56**:516-526.
- Belbin L 1991a. The analysis of pattern in bio-survey data. pp 176-190 in Margules CR, Austin MP (eds), *Nature conservation: cost effective biological surveys and data analysis*. CSIRO, Melbourne, Australia.
- Belbin L 1991b. Semi-strong hybrid scaling, a new ordination algorithm. *Journal of Vegetation Science* **2**:491-496
- Belbin L 1995. *PATN Pattern Analysis Package. Technical Reference*. CSIRO Wildlife and Ecology, Canberra, Australia.
- Belbin L, Faith DP, Milligan G 1992. A comparison of two approaches to  $\beta$ -flexible clustering. *Multivariate Behavioural Research* **27**:417-433.
- Belliard J, Boet P, Tales E 1997. Regional and longitudinal patterns of fish community structure in the seine river basin, France. *Environmental Biology of Fishes* **50**:133- 147.

- Belliard J, Thomas RBD, Monnier D 1999. Fish communities and river alteration in the Seine Basin and nearby coastal streams. *Hydrobiologia* **400**:155- 166.
- Belpaire CR, Smolders IV, Auweele D, Ercken J, Breine G, Van Thuyne, Ollevier F 2000. An Index of Biotic Integrity characterizing fish populations and the ecological quality of Flandrian water bodies. *Hydrobiologia* **434**:17- 33.
- Benech V, Durand JR, Quensiere J 1983. Fish communities of Lake Chad and associated rivers and floodplains. pp 293-356 in Carmouze J-P (ed.), *Lake Chad: Ecology and Productivity of a Shallow Tropical Ecosystem*. Dr W Junk, The Hague.
- Bernot RJ, Turner AM 2001. Predator identity and trait-mediated indirect effects in a littoral food web. *Oecologia* **129**:139-146.
- Bertozzi T, Adams M, Walker KF 2000. Species boundaries in carp gudgeons (Eleotrididae : Hypseleotris) from the River Murray, South Australia: evidence for multiple species and extensive hybridization. *Marine and Freshwater Research* **51**:805-815.
- Bibby CJ 1999. Making the most of birds as environmental indicators. *Ostrich* **70**:81-88.
- Biggs BJB, Francoeur SN, Huryn AD, Young R., Arbuckle CJ, Townsend CR 2000. Trophic cascades in streams: effects of nutrient enrichment on autotrophic and consumer benthic communities under two different fish predation regimes. *Canadian Journal of Fisheries & Aquatic Sciences* **57**:1380-1394.
- Biosca EG, Amaro C, Marconoales E, Oliver JD 1996. Effect of Low Temperature on Starvation-Survival of the Eel Pathogen *Vibrio Vulnificus* Biotype 2. *Applied & Environmental Microbiology* **62**:450-455.
- Blakers M, Davies, SJF, Reilly PN 1984. *The Atlas of Australian Birds*. RAOU and Melbourne University Press, Melbourne.
- Blinn DW 1991. The diatom flora of Lake Eyre South: a large episodically filled salt lake in South Australia. *Hydrobiologia* **210**:101-104.
- Blinn DW, Halse SA, Pinder AM, Shiel RJ, McRae JM. (in press). Diatom and micro-invertebrate communities and environmental determinants in the Western Australian wheatbelt: a response to secondary salinisation. *Hydrobiologia*.
- Blumenshine SC., Lodge DM., Hodgson JR 2000. Gradient of fish predation alters body size distributions of lake benthos. *Ecology* **81**:374-386.
- Boesch DF 2000. Measuring the health of the Chesapeake Bay: Toward integration and prediction. *Environmental Research* **82**:134-142.
- Boon PI, Frankenberg J, Hillman T, Oliver R, Shiel R 1990. Billabongs. pp 167–181 in Mackay N, Eastburn D (eds), *The Murray*. Murray Darling Basin Commission, Canberra.
- Borgstrøm R, Plahte E 1992. Gillnet selectivity and a model for capture probabilities for a stunted brown trout (*Salmo trutta*) population. *Canadian Journal of Fisheries and Aquatic Sciences* **49**:1546-1554.
- Boulinier T, Nichols JD, Sauer JR, Hines JE, Pollock KH 1998. Estimating species richness - the importance of heterogeneity in species detectability. *Ecology* **79**:1018-1028.
- Boulton AJ 1999a. An overview of river health assessment: philosophies, practice, problems and prognosis. *Freshwater Biology* **41**:469-479.
- Boulton A, 1999b. Why variable flows are needed for the invertebrates of semi-arid rivers. pp 113-128 in Kingsford RT. (ed.) *A free-flowing river: the ecology of the Paroo River*. NSW National Parks and Wildlife Service, Hurstville.
- Boulton AJ 2003. Parallels and contrasts in the effects of drought on stream macroinvertebrate assemblages. *Freshwater Biology* **48**:1173-1185.
- Boulton AJ, Brock ME 2000. *Australian Freshwater Ecology: Processes and Management*. Cooperative Research Centre for Freshwater Ecology. Gleneagles Publishing Adelaide.

- Boulton AJ, Lake PS 1992. The macroinvertebrate assemblages in pools and riffles in two intermittent streams (Werribee and Lerderderg Rivers, southern central Victoria). *Occasional Papers from the Museum of Victoria* **5**:55-71.
- Boulton AJ, Lloyd LN 1992. Mean flood recurrence frequency and invertebrate emergence from dry sediments of the Chowilla floodplain, River Murray, Australia. *Regulated Rivers: Research & Management* **7**, 137-151.
- Boulton AJ, Peterson SG, Grimm NB, Fisher SG 1992. Stability of an aquatic macroinvertebrate community in a multiyear hydrologic disturbance regime. *Ecology* **73**:2192-2207.
- Boulton AJ, Williams WD 1996. Aquatic biota. pp 102-112 in Twidale CR, Tyler MJ, Davies M (eds) *The Natural History of the Flinders Ranges*. Royal Society of South Australia, Adelaide.
- Bourrelly P 1966. *Les Algues d'Eau Douce. Initiation a la Systematique* Tome I: Les Algues Vertes (1966). Tome II: Les Algues Janunes et Brunnes (1968). Tome III: Les Algues Bleues et Rouges (1985). Boubée & Cie, Paris.
- Bowden GJ 2002. *Forecasting water resources variables using artificial neural techniques*. Unpubl. PhD Thesis, School of Civil and Environmental Engineering, The University of Adelaide.
- Bowden GJ, Maier HR, Dandy GC 2001. Understanding the range of applicability of artificial neural network forecasting models. *Proceedings of International Congress on Modelling and Simulation (Modsim 2001)* Vol 4, pp 1919-1924.
- Bowden GJ, Maier HR, Dandy GC 2002. Optimal division of data for neural network models in water resources application. *Water Resources Research* **38**:2.1-2.11.
- Boyd WE 1990. Mound Springs. pp 107-118 in Tyler MJ, Twidale CR, Davies M, Wells CB (eds), *Natural History of the North East Deserts*. Royal Society of South Australia, Adelaide.
- Braithwaite LW, Maher M, Briggs SV, Parker BS 1985. An aerial survey of wetland bird fauna in eastern Australia - October 1983. *CSIRO Division of Wildlife and Rangeland Research Technical Memorandum No. 21*, Canberra.
- Bramblett RG, Fausch KD 1991. Variable fish communities and the index of biotic integrity in a western Great Plains river. *Transactions of the American Fisheries Society* **120**:752-769.
- Bray JR, Curtis JT 1957. An ordination of the upland forest communities of southern Wisconsin. *Ecological Monographs* **27**:325-349.
- Briggs S, Jenkins K. 1997. Guidelines for managing cropping on lakes in the Murray-Darling Basin. National Parks and Wildlife Service C/- CSIRO Wildlife and Ecology, Canberra
- Briggs SV 1992a. Movement patterns and breeding characteristics of arid zone ducks. *Corella* **16**:15-22.
- Briggs SV 1992b. Wetlands as drylands: a conservation perspective. *Bulletin of the Ecological Society of Australia* **22**:109-110.
- Brock MA, Nielsen DL, Shiel RJ, Green JD, Langley JM 2003. Drought and aquatic community resilience: the role of eggs and seeds in sediments of temporary wetlands *Freshwater Biology* **48**:1207-1218.
- Brook AJ, Williamson DB 1988. The survival of desmids on the drying mud of a small lake. pp 185-196 in Round FE (ed.), *Algae and the Aquatic Environment, Contributions in Honour of J.W.G. Lund*. Biopress, Bristol.
- Brown CA 2001. A comparison of several methods of assessing river condition using benthic macroinvertebrate assemblages. *African Journal of Science* **26**:135-147.
- Brown JH, Kodrick-Brown A 1977. Turnover rates in insular biogeography: The effect of immigration on extinction. *Ecology* **58**:445-449.
- Brown LR 2000. Fish communities and their associations with environmental variables, lower San Joaquin River drainage, California. *Environmental Biology of Fishes* **57**:251- 269.

- Brown LR, Ford T 2002. Effects of flow on the fish communities of a regulated California river: Implications for managing native fishes. *River Research & Applications* **18**:331-342.
- Bullard JE, McTainsh GH, Martin WP (submitted). Establishing stage-discharge relationships in ephemeral rivers: a case study of the Diamantina River, Australia. *Journal of Hydrology*.
- Bunn SE 1995. Biological monitoring of water quality in Australia: Workshop summary and future directions. *Australian Journal of Ecology* **20**:220-227.
- Bunn SE 2003. Variability in dryland rivers: boom, bust and the bits in between. pp 22 in *Abstracts of the 9<sup>th</sup> International Conference on River Research and Applications*, Albury, July 2003.
- Bunn SE, Arthington AH 2002. Basic principles and ecological consequences of altered flow regimes for aquatic biodiversity. *Environmental Management* **30**:492-507.
- Bunn SE, Davies PM 1999. Aquatic food webs in turbid, arid zone rivers: Preliminary data from Cooper Creek, western Queensland. pp 67-76 in Kingsford RT (ed.), *A free-flowing river: the ecology of the Paroo River*. National Parks and Wildlife Service, Hurstville NSW.
- Bunn SE, Davies PM 2000. Biological processes in running waters and their implications for the assessment of ecological integrity. *Hydrobiologia* **422**:61-70.
- Bunn SE, Davies PM, Mosisch TD 1999. Ecosystem measures of river health and their response to riparian and catchment degradation. *Freshwater Biology* **41**:333-345.
- Bunn SE, Davies PM, Winning M 2003. Sources of organic carbon supporting the food web of an arid zone floodplain river. *Freshwater Biology* **48**:619-635.
- Burgman MA, Lindenmeyer DB 1998. *Conservation Biology for the Australian Environment*. Surrey Beatty and Sons, Chipping Norton, NSW.
- Burnham KP, Anderson DR 1998. *Model Selection and Inference: a Practical Information-Theoretic Approach*. Springer, New York.
- Burns A, Ryder DS 2001. Potential for biofilms as biological indicators in Australian riverine systems. *Ecological Management and Restoration* **2**:53-63.
- Cabral HN, Costa MJ, Salgado JP 2001. Does the Tagus estuary fish community reflect environmental changes? *Climate Research* **18**:119- 126.
- Cadwallader PL 1978. Some causes of the decline in range and abundance of native fish in the Murray-Darling river system. *Proceedings of the Royal Society of Victoria* **90**:211-224.
- Caley MJ, Schluter D 1997. The relationship between local and regional diversity. *Ecology* **78**:70-80.
- Camargo JA 1993. Must dominance increase with the number of subordinate species in competitive interactions? *Journal of Theoretical Biology* **161**:537-542.
- Canter-Lund H, Lund JWG 1995. *Freshwater Algae. Their Microscopic World Explored*. Biopress, Bristol.
- Cao Y, Bark AW, Williams WP 1997. Analysing benthic macroinvertebrate community changes along a pollution gradient - a framework for the development of biotic indices. *Water Research* **31**:884-892.
- Cao Y, Williams DD, Williams NE 1998. How important are rare species in aquatic community ecology and bioassessment? *Limnology and Oceanography* **43**:1403-1409.
- Carnahan JA 1989. *Map of Present Vegetation – Australia's Vegetation in the 1980's*. Geoscience Australia map publication, Canberra.
- Carter JL, Resh VH 2001. After site selection and before data analysis: Sampling, sorting, and laboratory procedures used in stream benthic macroinvertebrate monitoring programs by USA state agencies. *Journal of the North American Benthological Society* **20**:658-682.

- Casey JM, Myers RA 1998. Diel variation in trawl catchability: is it as clear as day and night? *Canadian Journal of Fisheries and Aquatic Sciences* **55**:2329-2340.
- Caughley G 1979a. Sampling techniques for aerial censuses. pp 9-14 in Anon. (ed.) *Aerial Surveys of Fauna Populations*. Spec. Publ. 1 Australian National Parks and Wildlife Service, Canberra.
- Caughley G 1979b. Design for aerial censuses. pp 15-20 in Anon. (ed.) *Aerial Surveys of Fauna Populations*. Spec. Publ. 1 Australian National Parks and Wildlife Service, Canberra.
- Charvet S, Statzner B, Usseglio-Polatera P, Dumont B 2000. Traits of benthic macroinvertebrates in semi-natural French streams: an initial application to biomonitoring in Europe. *Freshwater Biology* **43**:277-296.
- Chessman BC 1995. Rapid assessment of rivers using macroinvertebrates: A procedure based on habitat - specific sampling, family level identification and a biotic index. *Australian Journal of Ecology* **20**:122-129.
- Chessman BC, Growns I, Currey J, Plunkett-Cole N 1999. Predicting diatom communities at the genus level for the rapid biological assessment of rivers. *Freshwater Biology* **41**:317-331.
- Chiew F, Wang QJ, McConachy F, James R, Wright W, de Hoedt G 2002. *Evapotranspiration Maps for Australia*. Proceedings of the 27<sup>th</sup> Hydrology and Water Resources Symposium, Melbourne, May 2002.
- Choy SC, Thomson CB, Marshall, JC 2002. Ecological condition of central Australian arid-zone rivers. *Water Science and Technology* **45** (11):225-232.
- Clarke KR 1993. Non-parametric multivariate analyses of changes in community structure. *Australian Journal of Ecology* **18**:117-143.
- Clarke KR, Warwick RM 1994. *Change in Marine Communities: An Approach to Statistical Analysis and Interpretation*. Plymouth Marine Laboratory, Plymouth, U.K.
- Clarke RT, Wright JF, Furse MT 2003. RIVPACS models for predicting the expected macroinvertebrate fauna and assessing the ecological quality of rivers. *Ecological Modelling* **160**:219-233.
- Clifford HF 1972. Downstream movements of the white sucker, *Catasomus commersoni*, fry in a brown-water stream of Alberta. *Journal of the Fisheries Research Board of Canada* **29**, 1091-1093.
- Closs GP 1994. Feeding of *Galaxias olidus* (Gunther) (Pisces, Galaxiidae) in an intermittent Australian stream. *Australian Journal of Marine & Freshwater Research* **45**:227-232.
- Closs GP 1996. Effects of a predatory fish (*Galaxias olidus*) on the structure of intermittent stream pool communities in southeast Australia. *Australian Journal of Ecology* **21**:217-223.
- Closs GP, Lake PS 1994. Spatial and temporal variation in the structure of an intermittent-stream food web. *Ecological Monographs* **64**:1-21.
- Collins AL, Anderson TA 1995. The regulation of endogeneous energy stores during starvation and refeeding in the somatic tissues of the golden perch. *Journal of Fish Biology* **47**:1004-1015.
- Collins AL, Anderson TA 1997. The influence of changes in food availability on the activities of key degradative and metabolic enzymes in the liver and epaxial muscle of the golden perch. *Journal of Fish Biology* **50**:1158-1165.
- Collins AL, Anderson TA 1999. The role of food availability in regulating reproductive development in female golden perch. *Journal of Fish Biology* **55**:94-104.
- Comin FA, Williams WD 1994. Parched continents: our common future? pp 473-527 in Margalef R (ed.), *Limnology Now, a Paradigm of Planetary Problems*. Elsevier, New York.
- Committee to Review the EPA's Environmental Monitoring and Assessment Program 1995. *Review of the EPA's Environmental Monitoring and Assessment Program Overall Evaluation*. National Research Council, Washington DC.

- Conde-Porcuna J, Declerck S 1998. Regulation of rotifer species by invertebrate predators in a hypertrophic lake: selective predation on egg-bearing females and induction of morphological defences. *Journal of Plankton Research* **20**:605-618.
- Cook BD, Bunn SE, Hughes JM 2002. Genetic structure and dispersal of *Macrobrachium australiense* (Decapoda: Palaemonidae) in western Queensland, Australia. *Freshwater Biology* **47**:2098-2112.
- Cooper SD, Diehl S, Kratz K, Sarnelle O 1998. Implications of scale for patterns and processes in stream ecology. *Australian Journal of Ecology* **23**:27-40.
- Corti D., Kohler SL., Sparks RE 1997. Effects of hydroperiod and predation on a Mississippi river floodplain invertebrate community. *Oecologia* **109**:154-165.
- Costelloe JF 1998. *Modelling of flood patterns, using remote sensing, in the Coongie Lakes wetlands, northeastern South Australia*. Master of Applied Science Thesis, University of Melbourne.
- Costelloe JF, Grayson RB, Argent RM, McMahon TA 2003. Modelling flow routing and transmission loss processes in arid zone floodplain rivers. *Environmental Modelling and Software* **18**:693-703.
- Costelloe JF, Lewis MM, Leach JH 1998. Modelling of flood patterns, using AVHRR data, of the Coongie Lakes wetlands. *Proceedings 9<sup>th</sup> Australasian Remote Sensing & Photogrammetry Conference*, Sydney.
- Croke JC, Magee JW, Wallensky EP 1999. The role of the Australian Monsoon in the western catchment of Lake Eyre, central Australia, during the Last Interglacial. *Quaternary International* **57/58**:71-80.
- Crome FHJ 1986. Australian waterfowl do not necessarily breed on a rising water level. *Australian Wildlife Research* **13**:461-480.
- Crook DA, Robertson AI, King AJ, Humphries P 2001. The influence of spatial scale and habitat arrangement on diel patterns of habitat use by two lowland river fishes. *Oecologia* **129**:525-533.
- Cullen P 1990. Biomonitoring and environmental management. *Environmental Monitoring and Assessment* **14**:107-114.
- Cummins KW, Klug MJ 1979. Feeding ecology of stream invertebrates. *Annual Review of Ecology and Systematics* **10**:147-172.
- Cupper L 1983. A breeding record and notes on other sight records of the plumed whistling-duck in the far north east of South Australia. *South Australian Ornithologist* **29**:64.
- Cyr H, Downing JA, Lalonde S, Baines SB, Pace ML 1992. Sampling larval fish populations: choice of sample number and size. *Transactions of the American Fisheries Society* **121**:356-368.
- Dale VH, Beyeler SC 2001. Challenges in the development and use of ecological indicators. *Ecological Indicators* **1**:3-10.
- Daskalov GM 2002. Overfishing drives a trophic cascade in the Black Sea. *Marine Ecology-Progress Series* **225**:53-63.
- Davies NM, Norris RH, Thoms MC 2000. Prediction and assessment of local stream habitat features using large-scale catchment characteristics. *Freshwater Biology* **45**:343-369.
- Davis GE 1993. Design elements of monitoring programs: the necessary ingredients for success. *Environmental Monitoring and Assessment* **26**:99-105.
- Deacon JE, Minckley WL 1974. Desert fishes. pp 385-488 in Brown Jr GW (ed.), *Desert Biology*. Academic Press, New York and London.
- De Merona B, Albert P 1999. Ecological monitoring of fish assemblages downstream of a hydroelectric dam in French Guiana (South America). *Regulated Rivers: Research and Management* **15**:339-351.
- Diéguez MC, Gilbert JJ 2002. Suppression of the rotifer *Polyarthra remata* by the omnivorous copepod *Tropocyclops extensus*: predation or competition. *Journal of Plankton Research* **24**:359-369.

- Dilley AC, Edwards M, O'Brien DM, Mitchell RM 2000. *Operational AVHRR processing modules: atmospheric correction, cloud masking and BRDF compensation*. EOC project final report, Melbourne.
- Doledec S, Statzner B 1994. Theoretical habitat templates, species traits, and species richness - 548 plant and animal species in the upper Rhone River and its floodplain. *Freshwater Biology* **31**:523-538.
- Downes BJ, Barmuta LA, Fairweather PG, Faith DP, Keough MJ, Lake PS, Mapstone BD, Quinn GP 2002. *Monitoring Ecological Impacts: Concepts and Practice in Flowing Waters*. Cambridge University Press.
- Drake DC, Naiman RJ 2000. An evaluation of restoration efforts in fishless lakes stocked with exotic trout. *Conservation Biology* **14**:1807-1820.
- Dufrêne M, Legendre P 1997. Species assemblages and indicator species: the need for a flexible asymmetrical approach. *Ecological Monographs* **67**:345-366.
- Dulhunty JA, Merrick JR 1976a. The Waters and Fish of the Lake Eyre Basin, Part 1. *Newsletter of the Royal Society of NSW* No. **13**.
- Dulhunty JA, Merrick JR 1976b. The Waters and Fish of the Lake Eyre Basin, Part 2. *Newsletter of the Royal Society of NSW* No. **14**.
- Duncan-Kemp A 1933. *Our Sandhill Country*. Angus and Robertson, Sydney.
- Dunwiddie PW, LaMarche VC 1980. Dendrochronological characteristics of some native Australian trees. *Australian Forestry* **43**:124-135.
- Edgell P, Lawseth D, McLean WE, Britton EW 1993. The Use of Salt Solutions to Control Fungus (*Saprolegnia*) Infestations on Salmon Eggs. *Progressive Fish-Culturist* **55**:48-52.
- Engström J, Koski M, Viitasalo M, Reinikainen M, Repka S, Sivonen K 2000. Feeding interactions of the copepods *Eurytemora affinis* and *Acartia bifilosa* with the cyanobacteria *Nodularia* sp. *Journal of Plankton Research* **22**:1403-1409.
- Entwisle TJ, Sonneman JA, Lewis SH 1997. *Freshwater Algae in Australia: a Guide to Conspicuous Genera*. Sainty and Associates, Potts Point, NSW, Australia.
- Fairweather PG 1991. Statistical power and design requirements for environmental monitoring. *Australian Journal for Marine and Freshwater Research* **42**:555-567.
- Faragher RA, Harris JH 1994. The historical and current status of freshwater fish in New South Wales. *Australian Zoologist* **29**:166-176.
- Farquharson FAK, Meigh JR, Sutcliffe JV 1992. Regional flood frequency analysis in arid and semi-arid areas. *Journal of Hydrology* **138**:487-501.
- Fausch KD, Lyons J, Karr JR, Angermeier PL 1990. Fish communities as indicators of environmental degradation. pp 123-144 in Adams SM (ed.), *Biological Indicators of Stress in Fish*. American Fisheries Society Symposium, Maryland, USA.
- Fausch KD, Lyons J, Yant PR 1984. Regional application of an index of biotic integrity based on stream-fish communities. *Transactions of the American Fisheries Society* **113**:39-55.
- Filipe AF, Cowx IG, Collares-Pereira MJ 2002. Spatial modelling of freshwater fish in semi-arid river systems: A tool for conservation. *River Research and Applications* **18**:123-136.
- Fisher SJ, Willis DW 2000. Seasonal dynamics of aquatic fauna and habitat parameters in a perched upper Missouri River wetland. *Wetlands* **20**:470-478.
- Foissner W, Berger H 1996. A user-friendly guide to the ciliates (Protozoa: Ciliophora) commonly used by hydrobiologists as bioindicators in rivers, lakes, and waste waters, with notes on their ecology. *Freshwater Biology* **35**:375-481.
- Fontenot QC, Rutherford DA, Kelso WE 2001. Effects of environmental hypoxia associated with the annual flood pulse on the distribution of larval sunfish and shad in the Atchafalaya River Basin, Louisiana. *Transactions of the American Fisheries Society* **130**:107-116.

- Fore LS, Karr JR, Conquest LL 1994. Statistical properties of an index of biotic integrity used to evaluate water resources. *Canadian Journal of Fisheries and Aquatic Sciences* **51**:1077-1087.
- Fowler A 2002. Assessment of the validity of using mean potential evaporation in computations of the long-term soil water balance, *Journal of Hydrology* **256**:248-263.
- Frith HJ 1977. *Waterfowl in Australia*. Reed, Sydney.
- Fruget JF, Centofanti M, Dessaix J, Olivier JM, Druart JC, Martinez PJ 2001. Temporal and spatial dynamics in large rivers: example of a long-term monitoring of the middle Rhone River. *Annales de Limnologie-International Journal of Limnology* **37**:237-251.
- Fulton RS, Paerl HW 1987. Toxic and inhibitory effects of the blue-green alga *Microcystis aeruginosa* on herbivorous zooplankton. *Journal of Plankton Research* **9**:837-855.
- Ganasan V, Hughes RM 1998. Application of an index of biological integrity (IBI) to fish assemblages of the rivers Khan and Kshipra (Madhya Pradesh), India. *Freshwater Biology* **40**:367- 383.
- Garcia AM, Vieira JP, Winemiller KO 2001. Dynamics of the shallow-water fish assemblage of the Patos Lagoon estuary (Brazil) during cold and warm ENSO episodes. *Journal of Fish Biology* **59**:1218-1238.
- Garnett ST, Crowley GM 2000. *The Action Plan for Australian Birds*. Environment Australia, Canberra.
- Garvey JE., Stein RA., Thomas HM 1994. Assessing how fish predation and interspecific prey competition influence a crayfish assemblage. *Ecology* **75**:532-547.
- Gauch HG 1982. *Multivariate Analysis in Community Ecology*. Cambridge University Press.
- Gaughan DJ, Neira FJ, Beckley LE, Potter IC 1990. Composition, seasonality and distribution of the ichthyoplankton in the lower Swan estuary, south-western Australia. *Australian Journal of Marine and Freshwater Research* **41**:529-543.
- Geddes MC, Puckridge JT 1989. Survival and growth of larval and juvenile fish: the importance of the floodplain. pp 101-116 in Lawrence B (ed.), *Proceedings of the Workshop on Native Fish Management, Canberra 16-17 June 1988*. Murray-Darling Basin Commission, Canberra.
- Gehrke PC 1990. Clinotactic responses of larval silver perch (*Bidyanus bidyanus*) and golden perch (*Macquaria ambigua*) to simulated environmental gradients. *Australian Journal of Marine and Freshwater Research* **41**:523-528.
- Gehrke PC 1991. Avoidance of inundated floodplain habitat by larvae of golden perch (*Macquaria ambigua* Richardson): Influence of water quality or food distribution? *Australian Journal of Marine and Freshwater Research* **42**:707-719.
- Gehrke PC, Gilligan DM, Barwick M 2002. Changes in fish communities of the Shoalhaven River 20 years after construction of Tallowa Dam, Australia. *River Research and Applications* **18**:265-286.
- Gehrke PC, Harris JH 1994. The role of fish in cyanobacterial blooms in Australia. *Australian Journal of Marine & Freshwater Research* **45**:905-915.
- Gell PA, Sluiter IR, Fluin ZJ 2002. Seasonal and interannual variations in diatom assemblages in Murray River connected wetlands in north-west Victoria, Australia. *Marine and Freshwater Research* **53**:981-992.
- Gell PA, Sonneman JA, Reid MA, Illman MA, Sincock AJ 1999. An Illustrated Key to Common Diatom Genera from Southern Australia. *Cooperative Research Centre for Freshwater Ecology. Identification Guide No. 26*.
- Gido KB, Matthews WJ, Wolfenbarger WC 2000. Long-term changes in a reservoir fish assemblage: Stability in an unpredictable environment. *Ecological Applications* **10**:1517-1529.

- Glatz A 1985. *Surface water quality data in South Australia, July 1978-June 1983*. South Australian Engineering and Water Supply Department, Adelaide.
- Glover CJM 1982. Adaptations of fishes in arid Australia. pp 241-246 in Barker WR, Greenslade PJM (eds), *Evolution of the Flora and Fauna of Arid Australia*. Peacock Publications, Adelaide.
- Glover CJM 1990. Fishes. pp 189-198 in Tyler MJ, Twidale CR, Davies M, Wells CB (eds), *Natural History of the North East Deserts*. Royal Society of South Australia, Adelaide.
- Glover CJM, Sim TC 1978a. A survey of Central Australian ichthyology. *The Australian Zoologist* **19**:245-256.
- Glover CJM, Sim TC 1978b. Studies on Central Australian fishes: a progress report. *The South Australian Naturalist* **52**:34-44.
- Gordoa A, Maso M, Voges L 2000. Monthly variability in the catchability of Namibian hake and its relationship with environmental seasonality. *Fisheries Research* **48**:185-195.
- Graf WL 1987. *Fluvial Processes in Dryland Rivers*. Springer Verlag, Berlin.
- Green JD, Shiel RJ, Littler RA 1999. *Boeckella major* (Copepoda: Calanoida): a predator in Australian ephemeral pools. *Archiv Hydrobiologica* **145**:181-196.
- Grimm V, Wissel C 1997. Babel, or the ecological stability discussions - an inventory and analysis of terminology and a guide for avoiding confusion. *Oecologia* **109**:323-334.
- Grossman GD., Ratajczak RE., Crawford M., Freeman MC 1998. Assemblage organization in stream fishes - effects of environmental variation and interspecific interactions. *Ecological Monographs* **68**:395-420.
- Growns JE, Chessman BC, McEvoy PK, Wright IA 1995. Rapid assessment of rivers using macroinvertebrates: case studies in the Nepean River and Blue Mountains NSW. *Australian Journal of Ecology* **20**:130-141.
- Habermahl MA 1982. *Springs in the Great Artesian Basin, Australia – their Origin and Nature*. Bureau of Mineral Resources, Australia, Report 235.
- Hairston NG Jr, Ellner S, Kearns CM 1995a. Overlapping generations: the storage effect and the maintenance of biotic diversity. pp 109-145 in Rhodes OE, Chessman RK, Smith MH (eds), *Population Dynamics in Ecological Space and Time*. University of Chicago Press, Chicago.
- Hairston Jr NG, Van Brunt RA, Kearns CM, Engstrom DR 1995b. Age and survivorship of diapausing eggs in a sediment egg bank. *Ecology* **76**:1706-1711.
- Hall RI, Leavitt PR, Quinlan R, Dixit AS, Smol JP 1999. Effects of agriculture, urbanization, and climate on water quality in the northern Great Plains. *Limnology & Oceanography* **44**:739-756.
- Hall RI, Leavitt PR, Smol JP, Zirnelt N 1997. Comparison of diatoms, fossil pigments and historical records as measures of lake eutrophication. *Freshwater Biology* **38**:401-417.
- Halse SA, Lyons MN, Pinder AM (submitted). Biodiversity patterns and their conservation in wetlands of the Western Australia wheatbelt. *Records of the Western Australian Museum*.
- Halse SA, Pearson GB, McRae JM, Shiel RJ 2000. Monitoring aquatic invertebrates and waterbirds at Lakes Toolibin and Walbyring in the Western Australian wheatbelt. *Journal of the Royal Society of Western Australia* **83**:17-28.
- Halse SA, Shiel RJ, Storey AW, Edward DHD, Lansbury I, Cale DJ, Harvey MS 2000. Aquatic invertebrates and waterbirds of wetlands and rivers of the southern Carnarvon Basin, Western Australia. *Records of the Western Australian Museum Supplement* **61**:217-265
- Halse SA, Shiel RJ, Williams WD 1998. The relationship between salinity, ionic composition and the invertebrate fauna of Lake Gregory. *Hydrobiologia* **381**:15-29.

- Hambright KD, Zohary T, Easton J, Azoulay B, Fishbein T 2001. Effects of zooplankton grazing and nutrients on the bloom-forming, N<sub>2</sub>-fixing cyanobacterium *Aphanizomenon* in Lake Kinneret. *Journal of Plankton Research* **23**:165-174.
- Hamilton SK, Sippel SJ, Calheiros DF, Melack JM 1997. An anoxic event and other biogeochemical effects of the Pantanal wetland on the Paraguay River. *Limnology and Oceanography* **42**:257-272.
- Hansen MJ, Madenjian CP, Selgeby JH, Helser TE 1997. Gillnet selectivity for lake trout (*Salvelinus namaycush*) in Lake Superior. *Canadian Journal of Fisheries and Aquatic Sciences* **54**:2483-2490.
- Hansson LA, Bronmark C, Nystrom P, Greenberg L, Lundberg P, Nilsson PA, Persson A, Pettersson LB, Romare P, Tranvik LJ 1998. Consumption patterns, complexity and enrichment in aquatic food chains. *Proceedings of the Royal Society of London - Series B: Biological Sciences* **265**:901-906.
- Harley SJ, Myers RA 2001. Hierarchical Bayesian models of length-specific catchability of research trawl surveys. *Canadian Journal of Fisheries and Aquatic Sciences* **58**:1569-1584.
- Harris GP, Baxter G 1996. Interannual variability in phytoplankton biomass and species composition in a subtropical reservoir. *Freshwater Biology* **35**:545-560.
- Harris JH 1995. The use of fish in ecological assessments. *Australian Journal of Ecology* **20**:65-80.
- Harris JH, Edwards ED, Curran SJ 1992. *Bourke Weir Fish-passage Study*. New South Wales Fisheries Research Institute, Cronulla.
- Harris JH, Gehrke PC (eds) 1997. *Fish and Rivers in Stress: the NSW Rivers Survey*. NSW Fisheries Office of Conservation, the Cooperative Research Centre for Freshwater Ecology, in association with NSW Resource and Conservation Assessment Council, Cronulla, NSW.
- Harris JH, Silveira R 1999. Large-scale assessments of river health using an Index of Biotic Integrity with low-diversity fish communities. *Freshwater Biology* **41**:235-252.
- Hawking JH 2000. Key to keys: a guide to keys and zoological information to identify invertebrates from Australian inland waters. *Cooperative Research Centre for Freshwater Ecology. Identification Guide No. 2*, 2nd edition, Albury.
- Hawkins B, O'Brien J, O'Brien P, Woldring H 1995. *Initial Information Statement: Proposed "Currareva" Agricultural Development*. Currareva Partners, Narromine, N.S.W.
- Hay CJ, Van Zyl BJ, Steyn GJ 1996. A quantitative assessment of the biotic integrity of the Okavango River, Namibia, based on fish. *Water SA (Pretoria)* **22**:263-284.
- Heath AG 1990. Summary and perspectives. pp 183-191 in Adams SM (ed.), *Biological Indicators of Stress in Fish*. American Fisheries Society Symposium, Maryland, USA.
- Hecht-Nielsen R 1987. Kolmogorov's mapping neural network existence theorem. *Proceedings of First IEEE International Joint Conference on Neural Networks*, pp 11-14.
- Hedrick RP 1998. Relationships of the Host, Pathogen, and Environment - Implications for Diseases of Cultured and Wild Fish Populations. *Journal of Aquatic Animal Health* **10**:107-111.
- Hewlett R 2000. Implications of taxonomic resolution and sample habitat for stream classification at a broad geographical scale. *Journal of the North American Benthological Society* **19**:352-361.
- Hill BH, Herlihy AT, Kaufmann PR, Stevenson RJ, McCormick FH, Johnson CB 2000. Use of periphyton assemblage data as an index of biotic integrity. *Journal of the North American Benthological Society* **19**:50-67.
- Hillman TJ 1986. Billabongs. pp 457-470 in De Deckker P, Williams WD (eds), *Limnology in Australia*. CSIRO & Junk, Melbourne & Dordrecht.

- Hillman T, Robertson A, Burns A, Gigney H, Bowne P, Watson G, Nielsen D 2003. River-billabong interactions during high flow. pp 54 in *Abstracts of the 9<sup>th</sup> International Conference on River Research and Applications, Albury, July 2003*.
- Hilsenhoff WL 1987. An improved biotic index of organic stream pollution. *Great Lakes Entomology* **20**:31-39.
- Hobbs RJ, Morton SR 1999. Moving from descriptive to predictive ecology. *Agroforestry Systems* **45**:43-55.
- Holbrook SJ, Kingsford MJ, Schmitt RJ, Stephens JS 1994. Spatial and temporal patterns in assemblages of temperate reef fish. *American Zoologist* **34**:463-475.
- Holbrook SJ, Schmitt RJ, Stephens JS 1997. Changes in an assemblage of temperate reef fishes associated with a climate shift. *Ecological Applications* **7**:1299-1310.
- Holland-Bartels LE, Dewey MR 1996. The influence of seine capture efficiency on fish abundance estimates in the upper Mississippi River. *Journal of Freshwater Ecology* **12**:101-111.
- Hollowed AB, Hare SR, Wooster WS 2001. Pacific Basin climate variability and patterns of Northeast Pacific marine fish production. *Progress in Oceanography* **49**:257-282.
- Holmes J 1992. *Birds of the Kanowana Area, North Eastern South Australia*. Unpubl. report to ANZSES, Melbourne.
- Holmes JW, Williams AF, Hall JW, Henschke CJ 1981. Measurements of discharges from some of the mound springs in the desert of northern South Australia. *Journal of Hydrology* **49**:329-339.
- Holt RD., Grover J., Tilman D 1994. Simple rules for interspecific dominance in systems with exploitative and apparent competition. *American Naturalist* **144**:741-771.
- Holyoak M 2000. Habitat subdivision causes changes in food web structure. *Ecology Letters* **3**:509-515.
- Hornik K, Stinchcombe M, White H 1989. Multilayer feedforward networks are universal approximators. *Neural Networks* **2**:359-366.
- Hudson P, Sheldon F, Costelloe JF (in press). Aquatic macroinvertebrate biodiversity in the western Lake Eyre Basin: the role of naturally fluctuating salinity. *Records of the South Australian Museum*.
- Hugueny B, Camara S, Samoura B, Magassouba M 1996. Applying an index of biotic integrity based on fish assemblages in a West African river. *Hydrobiologia* **331**:71-78.
- Humphries P, King AJ, Koehn JD 1999. Fish, flows and flood plains: links between freshwater fishes and their environment in the Murray-Darling River system, Australia. *Environmental Biology of Fishes* **56**:129-151.
- Hurlbert SH 1984. Pseudoreplication and the design of ecological field experiments. *Ecological Monographs* **54**:187-211.
- Ives AR 1995. Measuring resilience in stochastic systems. *Ecological Monographs* **65**:217-233.
- Jack JD, Thorp JH 2002. Impacts of fish predation on an Ohio River zooplankton community. *Journal of Plankton Research* **24**:119-127.
- Jaensch R 2003a. Breeding by Australian Painted Snipe in the Diamantina Channel Country, south-western Queensland. *Stilt* **43**:20-22.
- Jaensch R 2003b. Breeding by Freckled Duck *Stictonetta naevosa* in the Diamantina Channel Country, south-western Queensland. *Sunbird* **33**:24-28.
- Jaensch R, McFarland D 2002. A population of Grey Grasswren *Amytornis barbatus* in the Diamantina Channel Country, Queensland. *Sunbird* **32**:56-61.
- Jeffrey SJ, Carter JO, Moodie KB, Beswick AR 2001. Using spatial interpolation to construct a comprehensive archive of Australian climate data. *Environmental Modelling and Software* **16**:309-330.

- Jenkins KM, Boulton AJ 1998. Community dynamics of invertebrates emerging from reflooded lake sediments: flood pulse and aeolian influences. *International Journal of Ecological and Environmental Sciences* **24**:179-192.
- Jenkins KM, Boulton AJ. 2003. Connectivity in a dryland river: short-term aquatic microinvertebrate recruitment following floodplain inundation. *Ecology* **84** (10): 2708-2723.
- Jepsen DB, Winemiller KO, Taphorn DC 1997. Temporal patterns of resource partitioning among *Cichla* species in a Venezuelan blackwater river. *Journal of Fish Biology* **51**:1085-1108.
- Johnson KA, Flynn JK, Amend DF 1982. Onset of immunity in salmonid fry vaccinated by direct immersion in *Vibrio anguillarum* and *Yersinia ruckeri* bacterins. *Journal of Fish Diseases* **5**:197-205.
- Jolly ID, Walker GR, Narayan KA 1993. Floodwater/aquifer interaction in an arid floodplain and its implications for River Murray salinity. pp 51-57 in *Proceedings of the 18th Hydrology and Water Resources Symposium*. Institute of Engineers, Newcastle, Australia.
- Jongman RH, ter Braak CJF, Van Tongeren OFR (eds) 1987. *Data Analysis in Community and Landscape Ecology*. Pudoc, Wageningen, the Netherlands.
- Jorgensen L, Amundsen PA, Gabler HM, Halvorsen M, Erkinaro J, Niemela E 1999. Spatial distribution of Atlantic salmon parr (*Salmo salar* L.) and bullhead (*Cottus gobio* L.) in lotic and lentic habitats of a diversified watercourse in northern Fennoscandia. *Fisheries Research* **41**:201-211.
- Jowett IG, Richardson J, McDowall RM 1996. Relative effects of in-stream habitat and land use on fish distribution and abundance in tributaries of the Grey River, New Zealand. *New Zealand Journal of Marine and Freshwater Research* **30**:463-475.
- Jungwirth M, Muhar S, Schmutz S 2002. Re-establishing and assessing ecological integrity in riverine landscapes. *Freshwater Biology* **47**:867-887.
- Junk WJ, Bayley PB, Sparks RE 1989. The Flood Pulse Concept in River-Floodplain Systems. *Canadian Special Publication of Fisheries and Aquatic Sciences* **106**:110-127.
- Kareiva P, Andersen M 1986. Spatial aspects of species interactions: the wedding of models and experiments. pp 35-50 in Hastings A (ed.), *Community Ecology*. Springer-Verlag, New York.
- Karr JR 1981. Assessments of biotic integrity using fish communities. *Fisheries* **6**:21-27.
- Karr JR 1987. Biological monitoring and environmental assessment: a conceptual framework. *Environmental Management* **11**:249-256.
- Karr JR 1991. Biological Integrity: a long-neglected aspect of water resource management. *Ecological Applications* **1**:66-84.
- Karr JR 1993. Defining and assessing ecological integrity - beyond water quality. *Environmental Toxicology & Chemistry* **12**:1521- 1531.
- Karr JR 1999. Defining and measuring river health. *Freshwater Biology* **41**:221-234.
- Karr JR, Chu EW 2000. Sustaining living rivers. *Hydrobiologia* **422**:1- 14.
- Kay WR, Smith MJ , Pinder AM , McCrae JM , Davis JA , Halse SA 1999. Patterns of distribution of macroinvertebrate families in rivers of north-western Australia. *Freshwater Biology* **41**:299-316.
- Kebede E 1996. Phytoplankton in a salinity-alkalinity series of lakes in the Ethiopian Rift Valley. *Acta Univ. Ups.* Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology p185.
- Kennedy TA, Naeem S, Howe KM, Knops JMH, Tilman D, Reich P 2002. Biodiversity as a barrier to ecological invasion. *Nature* **417**:636-638.
- Kim HY, Hwang SJ, Joo GJ 2000. Zooplankton grazing on bacteria and phytoplankton in a regulated large river (Nakdong River, Korea). *Journal of Plankton Research* **22**:1559-1577.

- King JR, McFarlane GA, Beamish RJ 2000. Decadal-scale patterns in the relative year class success of sablefish (*Anoplopoma fimbria*). *Fisheries Oceanography* **9**:62-70.
- King RS, Richardson CJ 2002. Evaluating subsampling approaches and macroinvertebrate taxonomic resolution for wetland bioassessment. *Journal of the North American Benthological Society* **21**:150-171.
- Kingsford RT 1991. *Australian Waterbirds: a Field Guide*. Kangaroo Press, Kenthurst, New South Wales.
- Kingsford RT 1995. Occurrence of high concentrations of waterbirds in arid Australia. *Journal of Arid Environments* **29**:421-425.
- Kingsford RT 1999. Aerial survey of waterbirds on wetlands as a measure of river and floodplain health. *Freshwater Biology* **41**:425-438.
- Kingsford RT 2000. Ecological impacts of dams, water diversions and river management on floodplain wetlands in Australia. *Austral Ecology* **25**:109-127.
- Kingsford RT, Curtin AL, Porter J 1999. Water flows on Cooper Creek in arid Australia determine 'boom' and 'bust' periods for waterbirds. *Biological Conservation* **88**:231-248.
- Kingsford RT, Halse SA 1999. Waterbirds as the 'flagship' for the conservation of arid zone wetlands in Australia. pp 139-160 in McComb AJ, Davis JA (eds), *Wetlands for the Future*. Proc. INTECOL V Internat. Wetlands Conf. Gleneagles Press, Adelaide.
- Kingsford RT, Norman FI 2002. Australian waterbirds – products of the continent's ecology. *Emu* **102**:47-69.
- Kingsford RT, Porter JL 1993. Waterbirds of Lake Eyre, Australia. *Biological Conservation* **65**:141-151.
- Kingsford RT, Porter JL, Smith JDB, Lawler W 1990. *An aerial survey of wetland birds in eastern Australia - October 1989*. Occasional Paper No. 9. NSW NPWS, Sydney.
- Kitchell JF, Cox SP, Harvey CJ, Johnson TB, Mason DM, Schoen KK, Aydin K, Bronte C, Ebener M, Hansen M, Hoff M, Schram S, Schreiner D, Walters CJ 2000. Sustainability of the Lake Superior fish community: Interactions in a food web context. *Ecosystems* **3**:545-560.
- Knight DW, Shiono K 1996. River channel and floodplain hydraulics. pp 139-181 in Anderson MG, Walling DE, Bates PD (eds), *Floodplain Processes*. Wiley: Chichester.
- Knighton AD, Nanson GC 1994a. Flow transmission along an arid zone anastomosing river, Cooper Creek, Australia. *Hydrological Processes* **8**:137-154.
- Knighton AD, Nanson GC 1994b. Waterholes and their significance in the anastomosing channel system of Cooper Creek, Australia, *Geomorphology* **9**:311-324.
- Knighton AD, Nanson GC 1997. Distinctiveness, diversity and uniqueness in arid zone river systems. pp 185-203 in Thomas, DSG (ed.), *Arid Zone Geomorphology: Process, Form and Change in Drylands*. 2<sup>nd</sup> Edition, John Wiley and Sons, New York, USA.
- Knighton AD, Nanson GC 2000. Waterhole form and process in the anastomosing channel system of Cooper Creek, Australia, *Geomorphology* **35**:101-117.
- Knighton AD, Nanson GC 2001. An event-based approach to the hydrology of arid zone rivers in the Channel Country of Australia, *Journal of Hydrology* **254**:102-123.
- Knighton AD, Nanson GC 2002. Inbank and overbank velocity conditions in an arid zone anastomosing river. *Hydrological Processes* **16**:1771-1791.
- Kodric-Brown A 1981. Variable breeding systems in pup-fishes (genus *Cyprinodon*): adaptation to changing environments. pp 205-235 in Naiman RJ, Soltz DL (eds), *Fishes in North American Deserts*. Wiley, New York.

- Koehn JD, O'Connor WG 1990. *Biological Information for Management of Native Freshwater Fish in Victoria*. Department of Conservation and Environment, Freshwater Fish Management Branch, Arthur Rylah Institute for Environmental Research, Melbourne, Australia.
- Kohonen T 1992. Self-organized formation of topologically correct feature maps. *Biological Cybernetics* **43**:59-69.
- Kotwicki V 1986. *Floods of Lake Eyre*. Engineering and Water Supply Department, Adelaide.
- Kresan PL 1988. The Tucson, Arizona flood of October 1983. pp 465-489 in Baker VR, Kochel RC, Patton PC (eds), *Flood Geomorphology*. Wiley, New York.
- Kurkilahti M, Rask M 1996. A comparative study of the usefulness and catchability of multimesh gill nets and gill net series in sampling of perch (*Perca fluviatilis* L) and roach (*Rutilus rutilus* L). *Fisheries Research* **27**:243-260.
- Lake JS 1967a. Freshwater fish of the Murray-Darling river system: the native and introduced fish species. *New South Wales State Fisheries Research Bulletin* **4**, 48 pp.
- Lake JS 1967b. Rearing experiments with five species of Australian freshwater fishes. 1. Inducement to spawning. *Australian Journal of Marine & Freshwater Research* **18**:137-153.
- Lake PS 2000. Disturbance, patchiness, and diversity in streams. *Journal of the North American Benthological Society* **19**:573-592.
- Lake PS 2003. Ecological effects of perturbation by drought in flowing waters. *Freshwater Biology* **48**:1161-1172.
- Lammert M, Allan JD 1999. Assessing biotic integrity of streams: effects of scale in measuring influence of land use/cover and habitat structure on fish and macroinvertebrates. *Environmental Management* **23**:257-270.
- Lande R 1996. Statistics and partitioning of species diversity, and similarity among multiple communities. *Oikos* **76**:5-13.
- Landsberg JH, Blakesley BA, Reese RO, McRae G, Forstchen PR 1998. Parasites of fish as indicators of environmental stress. *Environmental Monitoring and Assessment* **51**:211-232.
- Lane BA, Rogers DI 2000. The taxonomic and conservation status of the Australian Painted Snipe *Rostratula (benghalensis) australis*. *Stilt* **36**:26-34.
- Langdon RW 2001. A preliminary index of biological integrity for fish assemblages of small coldwater streams in Vermont. *Northeastern Naturalist* **8**:219- 232.
- Lange RT 1965. Growth characteristics in an arid zone conifer. *Transactions of the Royal Society of South Australia* **89**:133-137.
- Lathrop JE, Markowitz A 1995. pp 303-314 in Davis WS, Simon TP (eds), *Biological Assessment and Criteria: Tools for Water Resource Planning and Decision-making*. Lewis Publishers, Boca Raton.
- Laurenson EM, Mein RG 1990. *RORB – Version 4 Runoff Routing Program User Manual*. Monash University, Department of Civil Engineering.
- Lawton JH, Bignell DE, Bolton B, Bloemers GF, Eggleton P, Hammond PM, Hodda M, Holt RD, Larsen TB, Mawdsley NA, Stork NE 1998. Biodiversity inventories, indicator taxa and effects of habitat modification in tropical forest. *Nature* **391**:72-76.
- Legendre P, Fortin M-J 1989. Spatial pattern and ecological analysis. *Vegetatio* **80**:107-138.
- Legendre P, Legendre L 1998. *Numerical Ecology. Developments in Environmental Modelling 20* (2<sup>nd</sup> edn). Elsevier, Amsterdam.
- Lehane R, Skipsey B 1996. Scales of survival. *Australian Geographic* **42**:104-119.
- Lenat DR 1993. A biotic index for the south-eastern U.S.: derivation and list of tolerance values, with criteria for assigning water quality ratings. *Journal of the North American Benthological Society* **12**:279-290.

- Lennon JJ, Greenwood JJD, Turner JRG 2000. Bird diversity and environmental gradients in Britain: a test of the species-energy hypothesis. *Journal of Animal Ecology* **69**:581-598.
- Leuven R, Poudevigne I 2002. Riverine landscape dynamics and ecological risk assessment. *Freshwater Biology* **47**:845-865.
- Levine CM, Stromberg JC 2001. Effects of flooding on native and exotic plant seedlings: implications for restoring south-western riparian forests by manipulating water and sediment flows. *Journal of Arid Environments* **49**:111-131.
- Li MH, Wise DJ, Robinson EH 1996. Chemical Prevention and Treatment of Winter Saprolegniosis (Winter Kill) in Channel Catfish *Ictalurus Punctatus*. *Journal of the World Aquaculture Society* **27**:1-6.
- Liang SH, Menzel BW 1997. A new method to establish scoring criteria of the index of biotic integrity. *Zoological Studies* **36**:240-250.
- Ling HU, Tyler PA 1986. A limnological survey of the Alligator Rivers region, part II: freshwater algae, exclusive of diatoms. AGPS, Canberra, 173p.
- Ling HU, Tyler PA 2000. Australian Freshwater Algae (exclusive of diatoms). *Bibliotheca Phycologia Band* **105**:1-643.
- Long PE, Humphery VE 1997. *Fisheries Study Lake Eyre Catchment, Thomson and Diamantina Drainages Dec 1995*. DPI Information Series QI97080, Brisbane.
- Lough JM 1993. Variations of some seasonal rainfall characteristics in Queensland, Australia - 1921-1987. *International Journal of Climatology* **13**:391-409.
- Love AJ, Herczeg AL, Sampson L, Cresswell RG, Fifield LK 2000. Sources of chloride and implications for <sup>36</sup>Cl dating of old groundwater, southwestern Great Artesian Basin, Australia. *Water Resources Research* **36**:1561-1574.
- Ludwig JA, Tongway DJ, Marsden SG 1999. Stripes, strands and stipples: modelling the influence of three landscape banding patterns on resource capture and productivity in semi-arid woodlands, Australia. *Catena* **37**:257-273.
- Lyons J 1986. Capture efficiency of a beach seine for seven freshwater fishes in a north-temperate lake. *North American Journal of Fisheries Management* **6**:288-289.
- McCormick PV, Stevenson RJ 1998. Periphyton as a tool for ecological assessment and management in the Florida Everglades. *Journal of Phycology* **34**:726-733.
- McCune B, Grace JB 2002. *Analysis of Ecological Communities*. MjM Software Design, Gleneden Beach, Oregon, USA.
- McCune B, Mefford MJ 1995. *Multivariate analysis on the PC-ORD system. Version 2.0*. MjM Software, Gleneden Beach, Oregon, USA.
- McDowall RM (ed.) 1996. *Freshwater Fishes of South-Eastern Australia*. Chatswood, NSW, Reed Books.
- McDowall RM, Taylor MJ 2000. Environmental indicators of habitat quality in a migratory freshwater fish fauna. *Environmental Management* **25**:357-374.
- McFarlane GA, King JR, Beamish RJ 2000. Have there been recent changes in climate? Ask the fish. *Progress in Oceanography* **47**:147-169.
- McGilp JN, Morgan AM 1931. The nesting of the Banded Stilt. *South Australian Ornithologist* **11**:37-53.
- McGregor GB, Fabbro LD 2001. *A Guide to the Identification of Australian Freshwater Planktonic Chroococcales (Cyanoprokaryota/Cyanobacteria)*. Cooperative Research Centre for Freshwater Ecology. Identification Guide No. 39.
- McIntosh AR., Townsend CR 1996. Interactions between fish, grazing invertebrates and algae in a New Zealand stream - a trophic cascade mediated by fish-induced changes to grazer behaviour. *Oecologia* **108**:174-181.
- McKinnon LJ 1993. A significant record of the endangered Trout Cod *Maccullochella macquariensis* (Pisces: Perchichthyidae) made during fish surveys of the Barmah Forest, Victoria. *Victorian Naturalist* **110**:186-190.

- MacLean GL 1973. A review of the biology of the Australian desert waders *Stiltia* and *Peltohyas*. *Emu* **73**:61-70.
- MacLean GL 1976. A field study of the Australian Dotterel. *Emu* **76**:207-215.
- McLeod JA 1975. The freshwater algae of south-eastern Queensland. Unpublished PhD thesis, University of Queensland, Department of Botany, Brisbane.
- McMahon TA 1979. Hydrological characteristics of arid zones. *IAHS-AISH Symposium* **128**:105-123.
- McMahon TA, Finlayson BL 1991. Australian surface and groundwater hydrology - regional characteristics and implications. pp 21-41 in Pigram JJ, Hooper BP (eds), *Water Allocation for the Environment*. Centre for Water Policy Research, University of New England, Armidale.
- McMahon TA, Finlayson BL, Haines AT, Srikanthan R 1992. *Global Runoff – Continental Comparisons of Annual Flows and Peak Discharges*. Catena Verlag: Cremlingen.
- McPeck MA., Peckarsky BL 1998. Life histories and the strengths of species interactions - combining mortality, growth and fecundity effects. *Ecology* **79**:867-879.
- Mackay NJ 1973. Histological changes in the ovaries of the golden perch, *Plectroplites ambiguus*, associated with the reproductive cycle. *Australian Journal of Marine & Freshwater Research* **24**:95-101.
- Mac Nally R 1996. Hierarchical partitioning as an interpretative tool in multivariate inference. *Australian Journal of Ecology* **21**:224-228.
- Mac Nally R, Watson DM 1997. Distinguishing area and habitat heterogeneity effects on species richness: birds in Victorian buloke remnants. *Australian Journal of Ecology* **22**:227-232.
- Madden CP, McEvoy PK, Taylor DJ, Tsymbal V, Venus TA, Goonan PM 2002. Macroinvertebrates of watercourses in the LEB, South Australia. *Verhandlungen der Internationalen Vereinigung fuer Theoretische und Angewandte Limnologie* **28**:591-600.
- Maddock I 1999. The importance of physical habitat assessment for evaluating river health. *Freshwater Biology* **41**:373-391.
- Madenjian P, Jude DJ 1985. Comparison of sleds versus plankton nets for sampling fish larvae and eggs. *Hydrobiologia* **124**:275-281.
- Magnuson JJ, Benson BJ, McLain AS 1994. Insights on species richness and turnover from long-term ecological research - fishes in north temperate lakes. *American Zoologist* **34**:437-451.
- Magurran AE 1988. *Ecological Diversity and its Measurement*. Princeton University Press.
- Maher M, Braithwaite LW 1992. Patterns of waterbird use in wetlands of the Paroo: a river system of inland Australia. *Rangelands Journal* **14**:128-142.
- Maher M, Carpenter SM 1984. Benthic studies of waterfowl breeding habitat in south-western New South Wales. II. Chironomid populations. *Australian Journal of Marine and Freshwater Research*. **35**:97-110.
- Maier HR, Dandy GC 2000. Neural networks for the prediction and forecasting of water resources variables: a review of modelling issues and applications. *Environmental Modelling and Software* **15**:101-124.
- Mallen-Cooper M 1993. Habitat changes and declines of freshwater fish in Australia: what is the evidence and do we need more? pp 118-123 in Hancock DA. (ed.), *Sustainable fisheries through sustaining fish habitat*. Australian Society for Fish Biology Workshop proceedings. AGPS, Canberra.
- Mallen-Cooper M, Stuart IG, Hides-Pearson, F, Harris JH 1995. *Fish migration in the Murray River and assessment of the Torrumbarry fishway*. Final report for Natural Resources Management Strategy. Project N002. NSW Fisheries Research Institute and the Cooperative Research Centre for Freshwater Ecology, Cronulla, NSW.

- Mantel N 1967. The detection of disease clustering and a generalized regression approach. *Cancer Research* **27**:209-220.
- Marchant R 1998. How important are rare species in aquatic community ecology and bioassessment? A comment on the conclusions of Cao et al. *Limnology and Oceanography* **44**:1840-1841.
- Marchant R 2002. Do rare species have any place in multivariate analysis for bioassessment? *Journal of the North American Benthological Society* **21**:311-313.
- Marchant R, Barmuta LA, Chessman BC 1995. Influence of sample quantification and taxonomic resolution on the ordination of macroinvertebrate communities from running waters in Victoria, Australia. *Marine and Freshwater Research* **46**:501-506.
- Marchant R, Hehir G 2002. The use of AUSRIVAS predictive models to assess the response of lotic macroinvertebrates to dams in south-east Australia. *Freshwater Biology* **47**:1033-1050.
- Marchant R, Hirst A, Norris RH, Butcher Metzeling RL, Tiller D 1997. Classification and prediction of macroinvertebrate assemblages from running waters in Victoria, Australia. *Journal of the North American Benthological Society* **16**:664-681.
- Marchant S, Higgins PJ (eds) 1990. *Handbook of Australian, New Zealand and Antarctic Birds. Vol. 1B. Australian Pelican to Ducks*. Oxford University Press, Melbourne.
- Marchant S, Higgins PJ (eds) 1993. *Handbook of Australian, New Zealand and Antarctic Birds. Vol. 2. Raptors to Lapwings*. Oxford University Press, Melbourne.
- Marks JC, Power ME, Parker MS 2000. Flood disturbance, algal productivity, and interannual variation in food chain length. *Oikos* **90**:20-27.
- Martin R, Sereda A, Clarke D 1998. *Spencer Regions Strategic Water Management Study*. Report Book 98/19, Department of Primary Industries and Resources South Australia.
- Matheson WE 1974. The irruption of native-hens in South Australia in 1972-73. *South Australian Ornithologist* **26**:151-56.
- Matheson WE 1978. A further irruption of native-hens in 1975. *South Australian Ornithologist* **27**:270-273.
- Maule AG, Tripp RA, Kaattari SL, Schreck CB 1989. Stress alters immune function and disease resistance in Chinook salmon (*Oncorhynchus tshawytscha*). *Journal of Endocrinology* **120**:135-142.
- May IA 1986. Appendix V. Birds. pp 123-137 in (Anon. compiler), *Rangeland Assessment Manual. Innamincka Station*. Department of Lands, Adelaide.
- May JT, Brown LR 2002. Fish communities of the Sacramento River Basin: Implications for conservation of native fishes in the Central Valley, California. *Environmental Biology of Fishes* **63**:373- 388.
- Meekan MG, Steven ADL, Fortin MJ 1995. Spatial patterns in the distribution of damselfishes on a fringing coral reef. *Coral Reefs* **14**:151-161.
- Merigoux S, Hugueny B, Ponton D, Statzner B, Vauchel P 1999. Predicting diversity of juvenile neotropical fish communities: patch dynamics versus habitat state in floodplain creeks. *Oecologia* **118**:503-516.
- Merrick JR, Schmida GE 1984. *Australian Freshwater Fishes : Biology and Management*. Merrick, North Ryde, New South Wales.
- Merritt RW, Cummins KW 1996. Trophic relations of macroinvertebrates. pp 453-474 in Hauer FR, Lamberti GA (eds), *Methods in Stream Ecology*. Academic Press, New York.
- Metzeling L, Robinson D, Perriss S, Marchant R. 2002. Temporal persistence of benthic invertebrate communities in south-eastern Australian streams:

- taxonomic resolution and implications for the use of predictive models. *Marine and Freshwater Research* **53**:1223-1234.
- Mielke PW, Berry KJ, Johnson ES 1976. Multiresponse permutation procedures for a *priori* classifications. *Communications in Statistics* **A5**:1409-1424.
- Miller PJ 1987. Affinities, origin and adaptive features of the Australian Desert Goby *Chlamydogobius eremius* (Zietz, 1896) (Teleostei: Gobiidae). *Journal of Natural History* **21**:687-705.
- Mitchell RM, O'Brien DM 1993. Correction of AVHRR shortwave channels for the effects of atmospheric scattering and absorption, *Remote Sensing of Environment* **46**:129-145.
- Mittelbach GG, Turner AM, Hall DJ, Rettig JE, Osenberg CW 1995. Perturbation and resilience - a long-term, whole-lake study of predator extinction and reintroduction. *Ecology* **76**:2347-2360.
- Mollenmans FH, Reid JRW, Thompson MB, Alexander L, Pedler LP 1984. *Biological Survey of the Cooper Creek Environmental Association (8.4.4) North Eastern South Australia*. National Parks and Wildlife Service Division, Department of Environment and Planning, Adelaide.
- Moloney KA, Levin SA 1996. The effects of disturbance architecture on landscape-level population dynamics. *Ecology* **77**:375-394.
- Moore ID, Foster GR 1990. Hydraulics and overland flow. pp 215-254 in Anderson MG, Burt TP (eds), *Process Studies in Hillslope Hydrology*. John Wiley and Sons, New York.
- Morton FI, Goard R, Piwowar J 1985. *Operational estimates of areal evapotranspiration and lake evaporation – Program WREVAP*, NHRI Paper No. 24, Inland Waters Directorate, Environment Canada, Ottawa.
- Morton SR 1990. The impact of European settlement on the vertebrate animals of arid Australia: a conceptual model. *Proceedings of the Ecological Society of Australia* **16**:201-213.
- Morton SR, Doherty MD, Barker RD 1995a. *Natural heritage values of the LEB in South Australia: World Heritage assessment*. Consultancy report to the World Heritage Unit, Department of Environment, Sport and Territories. CSIRO Wildlife and Ecology, Canberra.
- Morton SR, Short J, Barker RD 1995b. *Refugia for Biological Diversity in Arid and Semi-Arid Australia*. Biodiversity Series, Paper no. 4. Report to the Biodiversity Unit of the Department of Environment, Sport and Territories, Canberra, Australia.
- Moyle PB, Brown LR, Herbold B 1986. *Final report on development and preliminary tests of indices of biotic integrity for California*. Final Report to the U.S. Environmental Protection Agency, Environmental Research Laboratory, Corvallis.
- Mulholland PJ, Best GR, Coutant CC, Hornberger GM, Meyer JL, Robinson PJ, Stenberg JR, Turner RE, Veraherrera F, Wetzel RG 1997. Effects of climate change on freshwater ecosystems of the south-eastern United States and the Gulf coast of Mexico. *Hydrological Processes* **11**:949-970.
- Nachman G 1981. A mathematical model of the functional relationships between density and spatial distribution of a population. *Journal of Animal Ecology* **50**:453-460.
- Nanson GC, Rust BR, Taylor G 1986. Coexistent mud braids and anastomosing channels in an arid-zone river: Cooper Creek, central Australia. *Geology* **14**:175-178.
- Nash JE, Sutcliffe JV 1970. River flow forecasting through conceptual models. Part 1. A discussion of principles. *Journal of Hydrology* **10**:282-290.
- Newman SJ, Williams DM 1995. Mesh size selection and diel variability in catch of fish traps on the central Great Barrier Reef, Australia - a preliminary investigation. *Fisheries Research* **23**:237-253.

- Nielsen DL, Hillman TJ, Smith FJ, Shiel RJ 2000a. The influence of a planktivorous fish on zooplankton assemblages in experimental billabongs. *Hydrobiologia* **434** (1-3):1-9.
- Nielsen DL, Hillman TJ, Smith FJ, Shiel RJ 2002. The influence of seasonality and duration of flooding on zooplankton in experimental billabongs. *River Research and Applications* **18**:227-237.
- Nielsen DL, Smith FJ, Hillman TJ, Shiel RJ 2000b. Impact of water regime and fish predation on zooplankton resting egg production and emergence. *Journal of Plankton Research* **22**:433-446.
- Niemela E, Julkunen M, Erkinaro J 2000. Quantitative electrofishing for juvenile salmon densities: assessment of the catchability during a long-term monitoring programme. *Fisheries Research* **48**:15-22.
- Nogrady T, Wallace RL, Snell TW 1993. Rotifera. Vol. 1: Biology, Ecology and Systematics. In Dumont HJ (ed.), *Guides to the Identification of the Microinvertebrates of the Continental Waters of the World*. SPB Academic Publishers, The Netherlands.
- Norris RH 1995. Biological monitoring: the dilemma of data analysis. *Journal of the North American Benthological Society* **14**:440-450.
- Norton DA 1990. Dendrochronology in the Southern Hemisphere. pp 17-21 in Cook ER, Kairiukstis LA (eds) *Methods of Dendrochronology*. Kluwer Academic Publishers, Dordrecht, Netherlands.
- Oberdorff T, Hughes RM 1992. Modification of an index of biotic integrity based on fish assemblages to characterize rivers of the Seine Basin, France. *Hydrobiologia* **228**:117-130.
- Oberdorff T, Hugueny B, Vigneron T 2001. Is assemblage variability related to environmental variability? An answer for riverine fish. *Oikos* **93**:419-428.
- OECD 1993. *OECD Core Set of Indicators for Environmental Performance Reviews*. Environmental Monographs No. 83. OECD, Paris.
- Ogden RW 2000. Modern and historical variation in aquatic macrophyte cover of billabongs associated with catchment development. *Regulated Rivers: Research & Management* **16**:497-512.
- Oroud IM 2001. A new formulation of evaporation-temperature dynamics of saline solutions. *Water Resources Research*, **37**:2513-2520.
- Osenberg CW., Schmitt RJ., Holbrook SJ., Abusaba, AR. Flegal KE 1994. Detection of environmental impacts - natural variability, effect size, and power analysis. *Ecological Applications* **4**:16-30.
- Paine B 1976. *The Green Centre*. BBC Books, London.
- Paller MH 1995. Relationships among number of fish species sampled, reach length surveyed and sampling effort in South Carolina coastal plain streams. *North American Journal of Fisheries Management* **15**:110-120.
- Parker SA, Eckert HJ, Ragless GB, Cox JB, Reid NCH 1979. *An Annotated Checklist of the Birds of South Australia. Part 1: Emus to Spoonbills*. South Australian Ornithological Association, Adelaide.
- Parker SA, Eckert HJ, Ragless GB 1985. *An Annotated Checklist of the Birds of South Australia. Part 2A: Waterfowl*. South Australian Ornithological Association, Adelaide.
- Parsley JJ, Palmer DE, Burkhardt RW 1989. Variation in capture efficiency of a beach seine for small fishes. *North American Journal of Fisheries Management* **9**:239-244.
- Patten DT 1998. Riparian ecosystems of semi-arid North America: Diversity and human impacts. *Wetlands* **18**:498-512.
- Peake-Jones K (ed.) 1955. *Lake Eyre, South Australia. The great flooding of 1949-50*. Royal Geographical Society of Australasia, South Australian Branch, Adelaide.

- Pearman GI 1971. An exploratory investigation of the growth rings of *Callitris preissii* trees from Garden Island and Naval Base. *The Western Australian Naturalist* **12**:12-17.
- Pickup G, Allan G, Baker VR 1988. History, palaeochannels and palaeofloods of the Finke River, Central Australia. pp 177-200 in Warner RF (ed.), *Fluvial Geomorphology of Australia*. Academic Press, Sydney.
- Pidgeon B 2001. *Natural Causes of Fish Kills in Top End Waterways*. Environmental Research Institute of the Supervising Scientist, Jabiru, NT.
- Pielou EC 1975. *Ecological Diversity*. Wiley, New York.
- Pinder AM, Halse SA, Shiel RJ, McRae JM 2000. Granite outcrop pools in south-western Australia: foci of diversification and refugia for aquatic invertebrates. *Journal of the Royal Society of Western Australia* **83**:149-161.
- Pinder AM, Halse SA, Shiel RJ, Cale DJ, McRae JM 2002. Halophile aquatic invertebrates in the wheatbelt region of south-western Australia. *Verhandlungen der Internationalen Vereinigung fuer Theoretische und Angewandte Limnologie* **28**:1687-1694.
- Plassman T, Maier G, Stich H 1997. Predation impact of *Cyclops vicinus* on the rotifer community in Lake Constance in spring. *Journal of Plankton Research* **19**:1069-1079.
- Poff NL, Allan JD 1995. Functional organization of stream fish assemblages in relation to hydrological variability. *Ecology* **76**:606-627.
- Power ME, Parker G, Dietrich WE, Sun A 1995. How does floodplain width affect floodplain river ecology? - A preliminary exploration using simulations. *Geomorphology* **13**:301-317.
- Prata AJ 1990. Satellite-derived evaporation from Lake Eyre, South Australia. *International Journal of Remote Sensing* **11**:2051-2068.
- Prescott GW 1962. *Algae of the Western Great Lakes Area*. Wm. Brown Co. Dubuque, Iowa.
- Prescott GW 1978. *How to Know the Freshwater Algae*. 3rd Edition. William Brown Co., Dubuque, Iowa.
- Prescott GW, Scott AM 1952. Some South Australian Desmids. *Transactions of the Royal Society of South Australia* **75**:55-69.
- Preston FW 1962. The canonical distribution of commonness and rarity. *Ecology* **43**:185-215.
- Puckridge JT 1999. *The role of hydrology in the ecology of Cooper Creek, Central Australia: implications for the Flood Pulse Concept*. Unpub. PhD Thesis, University of Adelaide.
- Puckridge JT, Costelloe JF, Walker KF 1999. DRY/WET: *Effects of changed water regime on the fauna of arid zone wetlands (CD-ROM model and documentation)*. Report to National Wetlands Research and Development Program: Environment Australia and Land and Water Resources Research and Development Corporation, Canberra.
- Puckridge JT, Drewien M 1988. The Aquatic Fauna of the North-west Branch of Cooper Creek. pp 69-107 in Reid J, Gillen J (eds), *The Coongie Lakes Study*. South Australian Department of Environment and Planning, Adelaide.
- Puckridge JT, Reid JR, Sheldon F, Baker S 1999. *Biological survey of the lower Diamantina floodplain, November 1993*. Conservation Council of South Australia, South Australian Department of Environment and Planning and the Australian Heritage Commission.
- Puckridge JT, Sheldon F, Walker KF, Boulton AJ 1998. Flow variability and the ecology of large rivers. *Marine and Freshwater Research* **49**:55-72.
- Puckridge JT, Walker KF, Costelloe JF 2000. Hydrological persistence and the ecology of dryland rivers. *Regulated Rivers: Research and Management* **16**:385-402.

- Puckridge JT, Walker KF, Langdon, JS, Daley C, Beakes GW 1989. Mycotic dermatitis in a freshwater gizzard shad, the bony bream, *Nematalosa erebi* (Gunther), in the River Murray, South Australia. *Journal of Fish Diseases* **12**:205-221.
- Pusey BJ, Arthington AH, Read MG 1993. Spatial and temporal variation in fish assemblage structure in the Mary River, south-eastern Queensland - the influence of habitat structure. *Environmental Biology of Fishes* **37**:355-380.
- Pusey BJ, Kennard MJ, Arthur JM, Arthington AH 1998. Quantitative sampling of stream fish assemblages - single- vs multiple-pass electrofishing. *Australian Journal of Ecology* **23**:365-374.
- Pusey BJ, Kennard MJ, Arthur JM, Arthington AH 2000. Discharge variability and the development of predictive models relating stream fish assemblage structure to habitat in northeastern Australia. *Ecology of Freshwater Fish* **9**:30-50.
- Quiblier-Lloberas C, Bourdier G, Amblard C, Pepin D 1996. Impact of grazing on phytoplankton in Lake Pavin (France): contribution of different zooplankton groups. *Journal of Plankton Research* **18**:305-322.
- Quinn GP, Hillman TJ, Cook R 2000. The response of macroinvertebrates to inundation in floodplain wetlands: A possible effect of river regulation? *Regulated Rivers: Research & Management* **16**:469-477.
- Quinn GP, Keough MJ 2002. *Experimental Design and Data Analysis for Biologists*. Cambridge University Press, UK.
- Rapport DJ 1995. Ecosystem health - more than a metaphor. *Environmental Values* **4**:287-309.
- Rapport DJ 1999. Epidemiology and ecosystem health: Natural bridges. *Ecosystem Health* **5**:174-180.
- Rapport DJ 2002. The health of ecology and the ecology of health. *Human & Ecological Risk Assessment* **8**:205-213.
- Rapport DJ, Costanza R, McMichael AJ 1998a. Assessing ecosystem health. *Trends in Ecology & Evolution* **13**:397-402.
- Rapport DJ, Whitford, WG, Hilden M 1998b. Common patterns of ecosystem breakdown under stress. *Environmental Monitoring & Assessment* **51**:171-178.
- Reese LR 1925. Bird Notes. *South Australian Ornithologist* **8**:32-23.
- Reese LR 1930. Bird Notes. *South Australian Ornithologist* **10**:279-280.
- Reice SR, Wohlenberg M 1993. Monitoring of freshwater benthic macroinvertebrates and benthic processes: measures for assessment of ecosystem health. pp 287-305 in Rosenberg DM, Resh VH (eds) *Freshwater Biomonitoring and Benthic Invertebrates*. Chapman and Hall, London.
- Reid JRW 1984. Appendix S [Birds]. pp S1-S41 in Mollenmans FH, Reid JRW, Thompson MB, Alexander L, Pedler LP (eds), *Appendices to Biological survey of the Cooper Creek Environmental Association (8.4.4), north eastern South Australia*. Consultancy report to NPWS, Department of Environment and Planning, Adelaide.
- Reid JRW 1988. Birds. pp 179-226 in Reid J, Gillen J (eds), *The Coongie Lakes Study*. Department of Environment and Planning, Adelaide.
- Reid JRW 1992. *Terrestrial monitoring of Coongie after flood. An assessment of the effects of flooding on the terrestrial biota in the Coongie Lakes district*. Final Report to Reserves Advisory Committee, SA National Parks and Wildlife Service, Adelaide.
- Reid JRW 1997. Uluru fauna surveys: baseline, monitoring, long-term research and new lines of inquiry. pp 94-109 in Woodcock LG (ed.), *Proceedings of 'Back to the Future' Natural Resources Research Workshop, Uluru-Kata Tjuta National Park, 27-29 August 1997*. AGSO Record 1997/55. AGSO, Canberra.
- Reid JRW 2000. Cooper Creek and the Far North East. pp 209-227 in Collier R, Hatch J, Matheson B, Russell T (eds), *Birds, Birders and Birdwatching 1889-1999*. South Australian Ornithological Association, Adelaide.

- Reid JRW, Badman FJ, Parker SA 1990. Birds. pp 169-182 in Tyler MJ, Twidale CR, Davies M, Wells CB (eds), *Natural History of the North East Deserts*. Royal Society of South Australia, Adelaide.
- Reid JRW, Fleming M 1992. The conservation status of birds in arid Australia. *Rangeland Journal* **14**:65-91.
- Reid JRW, Gillen J 1988. *The Coongie Lakes Study*. South Australian Department of Environment and Planning, Adelaide.
- Reid JRW, Jaensch R 1999. *An Aerial Survey of Waterbirds in the Coongie Lakes System, December 1998*. Report to the South Australian Department of Environment, Heritage and Aboriginal Affairs. Wetlands International - Oceania, Canberra.
- Reid JRW, Puckridge JT 1990. Coongie Lakes. pp 119-131 in Tyler MJ, Twidale CR, Davies M, Wells CB (eds), *Natural History of the North East Deserts*. Royal Society of South Australia, Adelaide.
- Reid JRW, Puckridge JT 2000. The seasonal ecology of the Coongie Lakes system and Cooper Creek Floodplain, Central Australia, Vols 1-3. A report to the South Australian Department of Environment and Heritage and the Australian Heritage Commission, undertaken with the assistance of the National Estates Program.
- Reid MA, Brooks JJ 2000. Detecting effects of environmental water allocation in wetlands of the Murray-Darling, Australia. *Regulated Rivers: Research and Management* **16**:479-496.
- Reid MA, Tibby SC, Penny D, Gell PA 1995. The use of diatoms to assess past and present water quality. *Australian Journal of Ecology* **20**:57-64.
- Resh VH 1995. Freshwater benthic macroinvertebrates and rapid assessment procedures for water quality monitoring in developing and newly industrialized countries. pp 167-180 in Davis WS, Simon TP (eds) *Biological assessment and criteria: tools for water resource planning and decision-making*. Lewis Publishers, Boca Raton, Florida.
- Reynolds CS 2003. Planktonic community assembly in flowing water and the ecosystem health of rivers. *Ecological Modelling* **160**:191-203.
- Reynolds LF 1983. Migration patterns of five fish species in the Murray-Darling river system. *Australian Journal of Marine and Freshwater Research* **34**:857-871.
- Roberts J 1988. Aquatic Biology of Coongie Lakes. pp 51-68 in Reid J, Gillen J (eds), *The Coongie Lakes Study*. Department of Environment and Planning, Adelaide, Australia.
- Roberts KL, Norris RH, Thoms MC 2001. Effects of sustained low flow on habitat availability and benthic macroinvertebrates. p 10 in *Abstracts of the Symposium on the Role of Drought in Aquatic Ecosystems*, Albury 2001.
- Robinson CT, Tockner K, Ward JV 2002. The fauna of dynamic riverine landscapes. *Freshwater Biology* **47**:661-677.
- Rodier JA 1985. Aspects of Arid Zone Hydrology. pp 205-247 in Rodda JC (ed.), *Facets of Hydrology, Vol.2*. Wiley, Chichester.
- Rodriguez MA, Lewis WM 1997. Structure of fish assemblages along environmental gradients in floodplain lakes of the Orinoco River. *Ecological Monographs* **67**:109-128.
- Rodriguez MA, Magnan P 1995. Application of multivariate analyses in studies of the organization and structure of fish and invertebrate communities. *Aquatic Sciences* **57**:199-216.
- Rogers C 2003. Bird Report, 2001. *South Australian Ornithologist* **34**:57-69.
- Rogers K, Biggs H 1999. Integrating indicators, endpoints and value systems in strategic management of the rivers of the Kruger National Park. *Freshwater Biology* **41**:439-451.
- Rose KA 2000. Why are quantitative relationships between environmental quality and fish populations so elusive? *Ecological Applications* **10**:367-385.

- Rosen BH 1995. Use of periphyton in the development of biocriteria. pp 209-216 in Davis WS, Simon TP (eds) *Biological Assessment and Criteria: Tools for Water Resource Planning and Decision Making*. Lewis, Boca Raton, Florida.
- Roshier DA, Reid JRW 2003. On animal distributions in dynamic landscapes. *Ecography* **26**:539-544.
- Roshier DA, Robertson AI, Kingsford RT 2002. Responses of waterbirds to flooding in an arid region of Australia and implications for conservation. *Biological Conservation* **106**:399-411.
- Roshier DA, Robertson AI, Kingsford RT, Green DG 2001a. Continental-scale interactions with temporary resources may explain the paradox of large populations of desert waterbirds in Australia. *Landscape Ecology* **16**:547-556.
- Roshier DA, Whetton PH, Allan RJ, Robertson AI 2001b. Distribution and persistence of temporary wetland habitats in arid Australia in relation to climate. *Austral Ecology* **26**:371-384.
- Rossaro B, Pietangelo A 1993. Macroinvertebrate distribution in streams: a comparison of CA ordination with biotic indices. *Hydrobiologia* **263**:109-118.
- Round FE 1974. *The Biology of the Algae*. Second Edition. Edward Arnold, London.
- Ruello NV 1976. Observations on some massive fish kills in Lake Eyre. *Australian Journal of Marine and Freshwater Research* **27**:667-672.
- Rumelhart DE, Hinton GE, Williams RJ 1986. Learning internal representations by error propagation. pp 318-362 in Rumelhart DE, McClelland JL (eds), *Parallel Distributed Processing, Vol. 1*. MIT Press, Cambridge, Massachusetts.
- Rutherford DA, Gelwicks KR, Kelso WE 2001. Physicochemical effects of the flood pulse on fishes in the Atchafalaya River basin, Louisiana. *Transactions of the American Fisheries Society* **130**:276-288.
- Rutt GP, Pickering TD, Reynolds NRM 1993. The impact of livestock farming on Welsh streams: the development and testing of a rapid biological method for use in the assessment and control of organic pollution from farms. *Environmental Pollution* **81**: 217-228.
- Saint-Paul U, Zuanon J, Correa MAV, Garcia M, Fabre NN, Berger U, Junk WJ 2000. Fish communities in central Amazonian white- and blackwater floodplains. *Environmental Biology of Fishes* **57**:235-250.
- Scheffer M, Carpenter S, Foley JA, Folke C, Walker B 2001. Catastrophic shifts in ecosystems. *Nature* **413**:591-596.
- Scheffer M, Rinaldi S, Kuznetsov YA 2000. Effects of fish on plankton dynamics: a theoretical analysis. *Canadian Journal of Fisheries & Aquatic Sciences* **57**:1208-1219.
- Schiller CB, Harris JH 2001. Native and alien fish. pp 229-258 in Young WJ (ed.), *Rivers as Ecological Systems: the Murray-Darling Basin*. Murray Darling Basin Commission, Canberra, ACT.
- Schlosser IJ, Johnson JD, Knotek WL, Lapinska M 2000. Climate variability and size-structured interactions among juvenile fish along a lake-stream gradient. *Ecology* **81**:1046-1057.
- Schreiber S 1997. *Report on Calibration of Cooper Creek Daily Flow Simulation Model*, Hydrology Report No. 003001.PR/1, Surface Water Assessment Group, Queensland Department of Natural Resources.
- Scott AC 2001. Waterbirds. pp 259-270 in Young WJ (ed.), *Rivers as Ecological Systems: The Murray Darling Basin*. Murray Darling Basin Commission, Canberra.
- Scott MC, Hall LW 1997. Fish assemblages as indicators of environmental degradation in Maryland coastal plain streams. *Transactions of the American Fisheries Society* **126**:349- 360.
- Seacombs JC, van Groningen JJM, van Muiswinkel WB, Egberts E 1983. Ontogeny of the immune system in carp (*Cyprinus carpio* L.). The appearance of antigenic

- determinants on lymphoid cells detected by mouse anti-carp thymocyte monoclonal antibodies. *Development and Comparative Immunology* **7**:455-464.
- Seehausen O, Witte F, Katunzi EF, Smits J, Bouton N 1997. Patterns of the remnant cichlid fauna in southern Lake Victoria. *Conservation Biology* **11**:890-904.
- Segers H, Shiel RJ 2003. Microfaunal diversity in a biodiversity hotspot: New rotifers from South-western Australia. *Zoological Studies* **42**:516-521.
- Shafroth PB, Auble GT, Stromberg JC, Patten DT 1998. Establishment of woody riparian vegetation in relation to annual patterns of streamflow, Bill Williams River, Arizona. *Wetlands* **18**:577-590.
- Shafroth PB, Stromberg JC, Patten DT 2002. Riparian vegetation response to altered disturbance and stress regimes. *Ecological Applications* **12**:107-123.
- Sharma A 2000. Seasonal to interannual rainfall probabilistic forecasts for improved water supply management: part 1 - a strategy for system predictor identification. *Journal of Hydrology* **239**:232-239.
- Sheldon F, Boulton AJ, Puckridge JT 2002. Conservation value of variable connectivity: aquatic invertebrate assemblages of channel and floodplain habitats of a central Australian arid-zone river, Cooper Creek. *Biological Conservation* **103**:13-31.
- Sheldon F, Walker KF 1998. Spatial distribution of littoral invertebrates in the lower Murray-Darling River system. *Marine and Freshwater Research* **49**:171-182.
- Shiel R 1990. Zooplankton. pp 275-286 in Mackay N, Eastburn D. (eds) *The Murray*. Murray Darling Basin Commission, Canberra.
- Shiel RJ, Green JD, Nielsen DL 1998. Floodplain biodiversity: why are there so many species? *Hydrobiologia* **387**:39-46
- Shiel RJ, Green JD, Tan LW 2001. Microfaunal and resting stage heterogeneity in ephemeral pools, upper River Murray floodplain. *Verhandlungen der Internationalen Vereinigung fuer Theoretische und Angewandte Limnologie* **27**:3738-3741.
- Shields FD, Sknight SS, Cooper CM 1995. Use of the index of biotic integrity to assess physical habitat degradation in warmwater streams. *Hydrobiologia* **312**:191-208.
- Shmida A, Ellner S 1984. Coexistence of plant species with similar niches. *Vegetatio* **58**:29-55.
- Shmida A, Evenari M, Noy-Meir I 1986. Hot desert ecosystems: an integrated view. pp 379-387 in Evenari M., Noy-Meir I, Goodall DW (eds), *Ecosystems of the World 12B: Hot Deserts and Arid Shrublands*. Elsevier, Amsterdam.
- Shuter BJ 1990. Population-level indicators of stress. pp 145-166 in Adams SM (ed.), *Biological Indicators of Stress in Fish*. American Fisheries Society Symposium, Maryland, USA.
- Simon TP, Emery EB 1995. Modification and assessment of an index of biotic integrity to quantify water resource quality in great rivers. *Regulated Rivers: Research & Management* **11**:283-298.
- Simon TP, Lyons J 1995. Application of the index of biotic integrity to evaluate water resource integrity in freshwater ecosystems. pp. 249-262 in Davis WS, Simon TP. (eds.) *Biological assessment and criteria: tools for water resource decision-making*. Lewis Publishers, Boca Raton Florida.
- Simon TP, Stewart PM 1999. Structure and function of fish communities in the southern Lake Michigan basin with emphasis on restoration of native fish communities. *Natural Areas Journal* **19**:142-154.
- Skinner R, Sheldon F, Walker KF 2001. Propagules in dry wetland sediments as indicators of dryland health: effects of salinity. *Regulated Rivers: Research and Management* **17**:191-197.
- Slate JE, Stevenson RJ 2000. Recent and abrupt environmental change in the Florida everglades indicated from siliceous microfossils. *Wetlands* **20**:346-356.

- Smith EP 1998. Randomization methods and the analysis of multivariate ecological data. *Environmetrics* **9**:37-51.
- Smith MJ (and 11 authors) 1999. AusRivAS: using macroinvertebrates to assess ecological condition of rivers in Western Australia. *Freshwater Biology* **41**:269-282.
- Smith SJ, Page FH 1996. Associations between Atlantic cod (*Gadus morhua*) and hydrographic variables - implications for the management of the 4vsw cod stock. *ICES Journal of Marine Science* **53**:597-614.
- Smouse PE, Long JC, Sokal RR 1986. Multiple regression and correlation extensions of the Mantel test of matrix correspondence. *Systematic Zoology* **35**:627-632.
- Sonneman JA, Sincock A, Fluin J, Reid M, Newall P, Tibby J, Gell P 2000. *An illustrated guide to common stream diatom species from temperate Australia*. Cooperative Research Centre for Freshwater Ecology. Identification Guide No. 33.
- Stafford Smith DM, Morton SR 1990. A framework for the ecology of arid Australia. *Journal of Arid Environments* **18**:225-278.
- Stanley EH, Buschman DL, Boulton AJ, Grimm NB, Fisher SG 1994. Invertebrate resistance and resilience to intermittency in a desert stream. *American Midland Naturalist* **131**:288-300.
- State of the Environment Advisory Council 1996. *Australia: State of the Environment 1996*. CSIRO Publishing, Melbourne.
- Statzner B, Hoppenhaus K, Arens MF, Richoux P 1997. Reproductive traits, habitat use and templet theory - a synthesis of world-wide data on aquatic insects. *Freshwater Biology* **38**:109-135.
- Stevenson RJ 1998. Diatom indicators of stream and wetland stressors in a risk management framework. *Environmental Monitoring & Assessment* **51**:107-118.
- Stewart DAB, Samways MJ 1998. Conserving dragonfly (Odonata) assemblages relative to river dynamics in an African Savanna game reserve. *Conservation Biology* **12**:683-692.
- Storey AW, Halse SA, Shiel RJ 1993. The aquatic invertebrate fauna of the Two Peoples Bay area, south-western Australia. *Journal of the Royal Society of Western Australia* **76**:25-32.
- Storr GM 1984. Revised list of Queensland birds. *Records of the Western Australian Museum (Supplement)* **19**.
- Stromberg JC, Patten DT 1996. Instream Flow and Cottonwood Growth in the Eastern Sierra Nevada of California, USA. *Regulated Rivers-Research & Management* **12**:1-12.
- Stromberg JC, Richter BD, Patten DT, Wolden LG 1993. Response of a Sonoran Riparian Forest to a 10-Year Return Flood. *Great Basin Naturalist* **53**:118-130.
- Stromberg JC 1997. Growth and Survivorship of Fremont Cottonwood, Gooding Willow, and Salt Cedar Seedlings after Large Floods in Central Arizona. *Great Basin Naturalist* **57**:198-208.
- Stromberg JC 2001. Biotic integrity of *Platanus wrightii* riparian forests in Arizona: first approximation. *Forest Ecology & Management* **142**:251- 266.
- Stromberg JC 2002. Flood flows and population dynamics of Arizona sycamore (*Platanus wrightii*). *Western North American Naturalist* **62**:170-187.
- Strong DR, Simberloff D, Abele LG, Thistle AB 1984. *Ecological Communities: Conceptual Issues and the Evidence*. Princeton University Press, New Jersey.
- Sullivan C 1990. Phytoplankton. pp 251-264 in Mackay N, Eastburn D. (eds) *The Murray*. Murray Darling Basin Commission, Canberra.
- Sullivan C, Saunders J, Welsh D 1988. Phytoplankton of the River Murray, 1980-1985. Murray-Darling Basin Commission, Canberra.
- Swales S 1993. Rehabilitation, mitigation and restoration of fish habitat in regulated rivers. pp 49-55 in Hancock DA (ed.), *Sustainable fisheries through sustaining*

- fish habitat*. Australian Society for Fish Biology Workshop proceedings. AGPS, Canberra.
- Swales S, Storey AW, Roderick ID, and Figa BS 1999. Fishes of floodplain habitats of the Fly River system, Papua New Guinea, and changes associated with El Niño droughts and algal blooms. *Environmental Biology of Fishes* **54**:389-404.
- Tabacchi E, Plantytabacchi AM, Salinas MJ, Decamps H 1996. Landscape structure and diversity in riparian plant communities - a longitudinal comparative study. *Regulated Rivers: Research & Management* **12**:367-390.
- Tait RD 1981. Natural seasonal changes in the zooplankton population in a billabong of the Magela Creek, Northern Territory, Australia, prior to development in the area. pp 29-35 in Sudzuki M (ed.), *Approaches to Saprobiological Problems*. Saneido, Tokyo.
- Talling JF 1986. The seasonality of phytoplankton in African Lakes. *Hydrobiologia* **138**:139-160.
- Tan LW, Shiel RJ 1993. Responses of billabong rotifer communities to inundation. *Hydrobiologia* **255/256**:361-369.
- Thiel R, Sepulveda A, Kafemann R, Nellen W 1995. Environmental factors as forces structuring the fish community of the Elbe estuary. *Journal of Fish Biology* **46**:47-69.
- Thomas CD 1994. Extinction, colonization, and metapopulations - environmental tracking by rare species. *Conservation Biology* **8**:373-378.
- Thomassen K 1986. Algal vegetation in northern Australian billabongs. *Nova Hedwigia* **42**:301-378.
- Thompson R, Barnett S 1985. Geology, geomorphology and hydrogeology. pp 3-15 in Greenslade J, Joseph L, Reeves A (eds), *South Australia's Mound Springs*. Nature Conservation Society of South Australia, Adelaide.
- Thompson RM., Townsend CR 1999. The effect of seasonal variation on the community structure and food-web attributes of two streams: implications for food-web science. *Oikos* **87**:75-88.
- Thoms MC, Ogden RW, Reid MA 1999. Establishing the condition of lowland floodplain rivers: a palaeo-ecological approach. *Freshwater Biology* **41**:407-423.
- Timms BV 1998. Further studies on the saline lakes of the eastern Paroo, inland New South Wales, Australia. *Hydrobiologia* **381**:31-42.
- Townsend CR, Doledec S, Scarsbrook MR 1997. Species traits in relation to temporal and spatial heterogeneity in streams - a test of habitat templet theory. *Freshwater Biology* **37**:367-387.
- Townsend CR, Scarsbrook MR, Doledec S 1997. The intermediate disturbance hypothesis, refugia, and biodiversity in streams. *Limnology and Oceanography* **42**:938-949.
- Townsend CR, Thompson RM, McIntosh AR, Kilroy C, Edwards E, Scarsbrook MR 1998. Disturbance, resource supply, and food-web architecture in streams. *Ecology Letters* **1**:200-209.
- Turak E, Flack LK, Norris RH, Simpson J, Waddell N 1999. Assessment of river condition at a large spatial scale using predictive models. *Freshwater Biology* **41**:283-298.
- Turner DB 1994. *An Investigation of a Fish Kill and the Catch History of the Mulka Fishery, North-east Desert Region, South Australia*. Aquasearch consultancy report, Adelaide.
- Underwood TJ, Millard MJ, Thorpe LA 1996. Relative abundance, length frequency, age and maturity of dolly varden in nearshore waters of the Arctic National Wildlife Refuge, Alaska. *Transactions of the American Fisheries Society* **125**:719-728.
- Unmack PJ 1995. Desert fishes down under. *Proceedings of the Desert Fishes Council* **26**:71-95.

- Unmack PJ 2000. The genus *Hypseleotris* of southeastern Australia: its identification and breeding biology. *Fishes of Sahul* **6**:282-284.
- Unmack PJ 2001. Fish persistence and fluvial geomorphology in central Australia. *Journal of Arid Environments* **49**:653-669.
- Vázquez RF, Feyen L, Feyen J, Refsgaard JC 2002. Effect of grid size on effective parameters and model performance of the MIKE-SHE code. *Hydrological Processes* **16**:355-372.
- Vigg S 1981. Species composition and relative abundance of adult fish in Pyramid Lake Nevada. *Great Basin Naturalist*. **41**:395-408.
- Viney NR, Sivapalan M 1999. A conceptual model of sediment transport: application to the Avon River Basin in Western Australia. *Hydrological Processes* **13**:727-743.
- Wager R, Jackson P 1993. *The Action Plan for Freshwater Fishes*. Australian Nature Conservation Agency Endangered Species Program.
- Wager R, Unmack PJ 2000. *Fishes of the Lake Eyre Catchment of Central Australia*, Queensland Dept. of Primary Industries.
- Walker KF 1985. A review of the ecological effects of river regulation in Australia. *Hydrobiologia* **125**:111-129.
- Walker KF, Hillman TJ, Williams WD 1978. Effects of impoundments on rivers: an Australian case study. *Verhandlungen der Internationalen Vereinigung fuer Theoretische und Angewandte Limnologie* **20**:1695-1701.
- Walker KF, Puckridge JT, Blanch SJ 1997. Irrigation developments on Cooper Creek, central Australia – prospects for a regulated economy in a boom-and-bust ecology. *Aquatic Conservation: Marine and Freshwater Ecosystems* **7**:63-73.
- Walker KF, Sheldon F, Puckridge JT 1995. A perspective on dryland river ecosystems. *Regulated Rivers: Research and Management* **11**:85-104.
- Walker PA, Cocks KD 1991. Habitat: A procedure for modelling a disjoint environmental envelope for a plant or animal species. *Global Ecology and Biogeography Letters* **1**:108-118.
- Wantzen KM., Machado FD, Voss M., Boriss H., Junk WJ 2002. Seasonal isotopic shifts in fish of the Pantanal wetland, Brazil. *Aquatic Sciences* **64**:239-251.
- Ward JV, Stanford JA 1995. Ecological connectivity in alluvial river ecosystems and its disruption by flow regulation. *Regulated Rivers: Research & Management* **11**:105-119.
- Ward JV, Tockner K, Schiemer F 1999. Biodiversity of floodplain river ecosystems: Ecotones and connectivity. *Regulated Rivers: Research & Management* **15**:125-139.
- Waterman MN, Read JL 1992. Breeding success of the Australian pelican *Pelecanus conspicillatus* on Lake Eyre South in 1990. *Corella* **16**:123-126.
- Waterstrat PR, Marking LL 1995. Clinical Evaluation of Formalin, Hydrogen Peroxide, and Sodium Chloride for the treatment of *Saprolegnia Parasitica* on Fall Chinook Salmon eggs. *Progressive Fish-Culturist* **57**:287-291.
- Welcomme RL 1985. *River Fisheries*. Fisheries Technical Paper 262, FAO, Rome.
- Welham SJ, Thompson R 1997. Likelihood ratio tests for fixed model terms using residual maximum likelihood. *Journal of the Royal Statistical Society, Series B* **59**:701-714.
- Western AW, O'Neill IC, Hughes RL, Nolan JB 1996. The behaviour of stratified pools in the Wimmera River, Australia. *Water Resources Research* **32**:3197-3206.
- Whitfield AK, Paterson AW 1995. Flood-associated mass mortality of fishes in the Sundays estuary. *Water SA* **21**:385-389.
- Whitford WG, Rapport DJ, De Soyza AG 1999. Using resistance and resilience measurements for 'fitness' tests in ecosystem health. *Journal of Environmental Management* **57**:21-29.

- Wiens JA 2002. Riverine landscapes: taking landscape ecology into the water. *Freshwater Biology* **47**:501-515.
- Wilkinson L 1992. *SYSTAT - the system for statistics, version 5*. SYSTAT Inc., Evanston, Illinois.
- Williams DD 1987. *The Ecology of Temporary Waters*. Croom Helm, London.
- Williams WD, Kokkin MJ 1988. The biogeographical affinities of the fauna in episodically filled salt lakes: A study of Lake Eyre, South Australia. *Hydrobiologia* **158**:227-236.
- Williams WD, Boulton AJ, Taeffe RG 1990. Salinity as a determinant of salt lake fauna: a question of scale. *Hydrobiologia* **197**:257-266.
- Willis TV, Magnuson JJ 2000. Patterns in fish species composition across the interface between streams and lakes. *Canadian Journal of Fisheries and Aquatic Sciences* **57**:1042-1052.
- Wilson EO, Bossert WH 1971. *A Primer of Population Biology*. Sinauer Associates Inc., Connecticut.
- Wilson JB, Wells TCE, Trueman IC, Jones G, Atkinson MD, Crawley MJ, Dodd ME, Silvertown J 1996. Are there assembly rules for plant species abundances? An investigation in relation to soil resources and successional trends. *Journal of Ecology* **84**:527-538.
- Winner BL, McMichael RH 1997. Evaluation of a new type of box splitter designed for subsampling estuarine ichthyofauna. *Transactions of the American Fisheries Society* **126**:1041-1047.
- Winston MR, Angermeier PL 1995. Assessing conservation value using centers of population density. *Conservation Biology* **9**:1518-1527.
- Woinarski JCZ, Brock C, Armstrong M, Hempel C, Cheal D, Brennan K 2000. Bird distribution in riparian vegetation in the extensive natural landscape of Australia's tropical savanna: a broad-scale survey and analysis of a distributional data base. *Journal of Biogeography* **27**:843-868.
- Wollmann K, Deneke R, Nixdorf B, Packroff G 2000. Dynamics of planktonic food webs in three mining lakes across a pH gradient (pH 2-4). *Hydrobiologia* **433**:3-14.
- Wong THF, Laurenson EM. 1984. A model of flood wave speed-discharge characteristics of rivers. *Water Resources Research* **20**: 1883-1890.
- Wood RB, Talling JF 1988. Chemical and algal relationships in a salinity series of Ethiopian inland waters. *Hydrobiologia* **158**:29-67.
- Woods PH, Walker GR, Allison GB 1990. Estimating groundwater discharge at the southern margin of the Great Artesian Basin near Lake Eyre, South Australia. pp 298-309 in *Proceedings of the International Conference on Groundwater in Large Sedimentary Basins*. Australian Water Resources Council Conference Series 20, Perth.
- Wootton JT 1998. Effects of disturbance on species diversity - a multitrophic perspective. *American Naturalist* **152**:803-825.
- Yoccoz NG, Nichols JD, Boulinier T 2001. Monitoring of biological diversity in space and time. *Trends in Ecology and Evolution* **16**:446-453.
- Young WJ 2001a. *Rivers as ecological systems: The Murray-Darling Basin*. Murray-Darling Commission, Canberra.
- Young WJ 2001b. Invertebrates large and small. pp 223-228 in Young WJ (ed.) *Rivers as Ecological Systems*: Murray Darling Basin Commission, Canberra.
- Zhang S, Cordery I, Sharma A 2002. Application of an improved linear storage routing model for the estimation of large floods. *Journal of Hydrology* **258**:58-68.